BAUERFEIND®

PRODUCT CATALOG

FOOT ORTHOSES AND ACCESSORIES

01/2017

BAUERFEIND.COM

BAUERFEIND.
FOR A BETTER QUALITY OF LIFE

MEDICAL BRAND **SINCE 1929**

Bauerfeind AG is one of the leading manufacturers of medical products in the world, with supports, orthoses, compression stockings and orthopedic foot orthoses as well as healthcare concepts that make an important contribution to maintaining and restoring health and increasing well-being – for better quality of life.

Bauerfeind combines decades of expertise in technology and manufacturing with innovation, the tradition of a medium-sized, family-run business with a global mindset.

Bauerfeind's specialists have worked very closely with physicians, scientists and developers right from the start. The result is patented, award-winning products and services, with "Made in Germany" quality.

BAUERFEIND.COM

CONTENTS

SYNTHETIC FOOT ORTHOSES 21
ErgoPad® weightflex 22
ErgoPad® weightflex 2 27
GloboTec® Comfort 28
ErgoPad® redux heel 34
ErgoPad® redux heel 2 37
ErgoPad® redux hallux 38
ErgoPad® work for safety shoes 42
ErgoPad® work:h 42
GloboTec® Patricia® 46
GloboTec® PP-Flex (Polyflex) 50
GloboTec® Starflex® 52
GloboTec® Junior 55
GloboTec® Isoflex 56
GloboTec® Plastic/Leather (Active) 58
GloboTec® Globoplast 60

SOFT FOAM FOOT ORTHOSES 61
TRIactive® 62
ErgoPad® Soft 64
ErgoPad® system:s 66
GloboTec® Soft 70
GloboTec® Soft Diabetes 80

MILLED FOOT ORTHOSES 81
ErgoPad® ID: 82
Milled sports foot orthoses 84

CORK FOOT ORTHOSES 87
GloboTec® Elastra-Cork 88
GloboTec® Alpha-Cork 94
GloboTec® Flexible Cork 96

VISCOELASTIC FOOT ORTHOSES 99
ViscoHeel® 100
ViscoHeel® K 100
ViscoSpot® 101
ViscoBalance® 102
ViscoPed® 103
ViscoPed® S 103

MEASURING MEDIA 105
Foot pressure measuring systems 106
Foot scanner 108
3D measurement systems 110
BODYTRONIC® ID:CAM 112
PedoPrint® footprint device 114
Imprint foam 116

SHOES 117
GloboPed® Active 118
GloboPed® Sanoped 120
GloboPed® Postop und Accessories 122
GloboPed® Mobile 124

COMPONENTS 127
Pads 128
Cushions 131
Wedges 132
Heel cushions 134
Heel spur cushions 134
Heel cushions 135
Small pads 136
Rubber inserts 137

TOP COVER AND PLATE MATERIALS 139
Top cover material 140
Plate material 147

OUR SERVICE CONCEPT
1 CONTACT=
100% SERVICE QUALITY

Strong partners are the key to success. Comprehensive service guarantees ensure that our services are reliable, transparent and verifiable. This is how we create positive experiences for you with the Bauerfeind brand and help build and maintain good partnerships with our customers.

Our internal and field sales staff provide expert advice on product-specific and business issues and are your point of contact for joint marketing campaigns.

Take advantage of our strengths for your success!
Convince yourself!

WE ARE HAPPY TO HELP YOU:

T 0800-001 05 30
F 0800-001 05 35
E info@bauerfeind.com



OUR SERVICE GUARANTEES
FOR MEDICAL RETAILERS IN GERMANY

FREE TELEPHONE AND FAX HOTLINES

We are happy to help you!

PRECISE DELIVERY DATE

We specify a precise delivery date for your orders.

100% CONTACT AVAILABILITY

As competent contact partners, we are at your service from 8:00 am to 6:00 pm every day from Monday to Friday. You can reach us round the clock by fax, by e-mail or via electronic order systems (except in the event of system faults and maintenance work).

NO SHIPPING COSTS

We do not charge any shipping costs for order values over EUR 200.00.
You can include all items from any of the product ranges in a single order.

ELECTRONIC ORDER SYSTEMS

Place your orders easily, quickly and with reduced shipping costs:
Using wheel-it or the various functions available in our online shop, such as the order status and availability display.

FREE GOODS COLLECTION

If you fax us a completed return form, we will come and collect the goods to be returned (subject to inspection) – at our own expense.

SHIPPING ON THE SAME BUSINESS DAY

If you place your order by 3:00 pm, we will ship the ordered items from our stock on the same day (large orders excluded).
We are happy to accommodate your express delivery requirements too.

365 DAY RETURNS

In accordance with our General Terms and Conditions, we will accept returns of stock items in faultless condition within 365 days following delivery.

EXPRESS MANUFACTURE FOR QUICK CARE

Urgent, individually modeled milled foot orthoses – without intarsia – that are ordered before 10:00 a.m., will be completed and shipped on the same business day.

RETURNS PROCESSED WITHIN 5 DAYS

We process your returns within 5 working days of receiving the goods in question.

ORTHOTIC CARE
THE RIGHT FOOT ORTHOSIS FOR EVERY FOOT

FROM THE DEVELOPMENT PHASE RIGHT THROUGH TO INDIVIDUAL FITTINGS

A healthy body needs healthy feet. Orthopedic foot orthoses relieve the pressure on the feet, knees, hips, and back. They have a biomechanical effect and therefore help the foot to function naturally.

Medical products can only be 100% effective if they are a precise fit. This requires the exact measurement of the relevant body dimensions. As different feet need different types of support, Bauerfeind offers numerous different types of foot orthoses, to cater for every requirement.

1

IDENTIFICATION OF PRECISELY FITTED FUNCTIONAL AREAS
by a physician and an orthotist



2

HIGH-TECH MANUFACTURE "MADE IN GERMANY"
in the highly specialized Bauerfeind works. Over 80 years of experience; know-how that cannot be copied



3

PRECISION THROUGH DIGITAL MEASUREMENT TECHNOLOGY
for development and production. Maximum precision for all foot orthosis systems



4

ADVICE AND ACCURATE FITTING
of foot and shoe by the orthotist of the medical retailer

BASIC CONSTRUCTION OF A FOOT ORTHOSIS

	SYNTHETIC MATERIAL	SOFT FOAM	CORK
TOP COVER	●	●	●
CUSHION LAYER	●	●	●
PAD	○	○	○
THERMAL REINFORCEMENT		○	○
SYNTHETIC CORE	●		
SOFT FOAM BASE LAYER		●	
CORK BASE			●
BOTTOM COATING	●		

● included ○ optional

MATERIAL KEY

TECfom
(EVA/PE 25° Shore A)

TECsoft
(PE 25° Shore A)

TECtop
(EVA/PE 30° Shore A)

TECmoll
(EVA/PE 35° Shore A)


TEClast
(EVA/PE 45° Shore A)

Lunasoft SL
(EVA 40° Shore A)

Globofit
(PU approx.
12° Shore A)

GloboFlex
(PU/PE approx.
10° Shore A)

Poron-Kombi
(PU, EVA/PE)

OVERVIEW PICTOGRAMS

PRESSURE-DISTRIBUTING MATERIALS

THERMO-FORMABLE

FOR PEOPLE WITH DIABETES/ RHEUMATISM

THIN VERSION

STANDARD SHOE SHAPE

EASY TO BOND

VARIABLE HEELS

COMFORT SHOE SHAPE

PROPRIOCEPTIVE

ANTIBACTERIAL

ESD PROTECTION

EASY TO GRIND

VERTICAL CONSTRUCTION

THE VARIOUS INDICATIONS OF THE FOOT

Healthy feet are essential for maintaining good posture and preventing overloading. Every person is different and so foot deformities and complaints manifest themselves in different ways too. The right foot orthosis, precisely adapted to the foot, counteracts foot misalignments in a targeted way and relieves symptoms.

MILD ARCH DECREASED FOOT

The longitudinal arch of the foot is flattened. This causes the foot muscles to tire earlier than usual and people affected by this condition experience mild sensations of overloading. It can also give rise to a burning sensation on the sole of the foot and mild knee and back pain.

SPLAY FOOT

The anterior transversal arch of the foot is flattened, which increases the pressure under the metatarsophalangeal joint. The foot muscles may tire earlier than usual, and other symptoms include mild sensations of overloading and a burning sensation on the sole of the foot, as well as knee and back pain.

MILD ARCH DECREASED/SPLAY FOOT

The foot bends inward during movement and the foot arches drop. The forefoot fans out, which has an adverse impact on the statics of the entire body. This causes the foot muscles to tire earlier than usual and people affected by this condition experience mild sensations of overloading, as well as a burning sensation on the sole of the foot and knee and back pain.

PRONOUNCED (VALGUS) ARCH DECREASED/SPLAY FOOT

The foot arches drop and the forefoot fans out significantly. This can be caused by weak connective tissue and ligaments combined with wearing unsuitable footwear. Symptoms occur during walking and calluses form on the underside of the feet.

PRONOUNCED (VALGUS) ARCH DECREASED/SPLAY FOOT WITH CHRONIC HEEL AND ANKLE PAIN

In addition to flattened foot arches, the transition between the heel bone and the tendon insertion becomes irritated. This causes pain in the heel. If the irritation persists, e.g. due to overloading, a heel spur may form.

MILD TO MODERATE PES CAVUS/ HIGH ARCHED FOOT

This foot misalignment can be either congenital or acquired. The longitudinal arch of the foot is raised and the heel bone is steeper, which puts a lot of pressure on the forefoot, often causing pain in this area. Pes cavus (high-arched foot) is caused by muscular imbalances.



HALLUX VALGUS

Hallux valgus (a bunion) is caused by severe splay foot. The big toe turns significantly inward, while the metatarsophalangeal joint pushes outward. The joint is then continuously exposed to a pressure load with a strong levering effect during the heel-to-toe movement of the foot, which can be painful.

HALLUX LIMITUS AND HALLUX RIGIDUS

Hallux limitus and hallux rigidus are caused by various foot misalignments. In the case of hallux limitus, the mobility of the metatarsophalangeal joint is restricted.
In the case of hallux rigidus, it stiffens up. This leaves the joint continuously exposed to a high pressure load during the heel-to-toe movement of the foot. This can lead to painful inflammation and osteoarthritis/cartilage wear.



OUR FOOT ORTHOSIS TECHNOLOGIES
ADAPTED TO SUIT THE ANATOMY AND SYMPTOMS OF THE FEET

POWERWAVE® TECHNOLOGY

AN INTELLIGENT CONNECTION

PowerWave® uses an intelligent vertical serration system to combine materials with varying degrees of hardness, thus providing optimum pressure relief, stabilization and support for the foot. The foot orthoses are precisely adapted to meet the requirements of the sporting activity they are needed for. The functional elements required for this are connected, leaving no uncomfortable edges or transitions that could be felt by the foot.

1. **Guidance – firm zone:** guides the heel perfectly when treading and actively initiates the step
2. **Cushioning – soft zone:** cushions impacts in sensitive areas of the foot
3. **Support – medium firm zone:** relieves the foot and ensures ideal body posture

TRANSMISSION OF FORCE WITH THE X FACTOR

WEIGHTFLEX® TECHNOLOGY

The "weightflex-X" integrated in the orthotic core supports the internal dynamics and torsional stability of the feet. The side sections guide the forces that arise over two pivot points. The exchange of force supports the natural heel-to-toe movement of the feet and corrects the gait.

- **Supports the inward rotation** of the forefoot
- **Pivot points** of the "weightflex-X"
- **Supports the longitudinal arch**

1. Hinge joints make the orthotic core bendable, so it can be adapted to suit a variety of heel heights.
2. The edging is anatomically contoured, leaving the metatarsophalangeal (MTP) joints free. The edges are thin.
3. The base of the fifth metatarsal bone is lower to provide relief. This takes into account the biomechanical requirements of this part of the foot.



WIDESPREAD RELIEF

RELIEF CORE TECHNOLOGY

This technology targets anatomical weak points in the case of chronic heel and ankle pain or calcaneal spurs. The cut-out section in the heel area relieves the pressure on the bones with each step. The fan design relaxes the inflamed area of the plantar aponeurosis. The core supports the foot arches, thus taking the excessive strain off the tendon.

1. **Anatomically contoured with thin tapered edges:**
   MTP joints beyond the core.
   The heel-to-toe movement remains unaffected.
2. **Fan-shaped cuts:** Relieves pressure on the fascia and tendon structure in the sole of the foot.
3. **Arch support:** Raises flattened foot arches, thereby removing one of the causes of pain.
4. **Heal cut-out:** Defined relief area according to pathophysiological characteristics.
5. **Heel cup:** Guides the foot with each step and promotes a biomechanically correct gait.



THE RIGHT FOOT ORTHOSIS FOR EVERY FOOT

FOOT ORTHOSES	SYNTHETIC MATERIAL					
	ErgoPad® weightflex	**ErgoPad® redux heel**	**ErgoPad® redux hallux**	**ErgoPad® work:h**	**GloboTec® Comfort style**	**GloboTec® Patricia®**
PAGE	22 – 26	34 – 36	38 – 41	42 – 45	33	46 – 49
AREA OF APPLICATION						
Work				●		
Business	●				●	●
Sports						
Kids						
Comfort	●	○	○	○	●	○
Special		●	●	○		
INDICATIONS/SYMPTOMS						
Arch decreased/splay foot	●	●	●	●	●	●
Skew foot		○	○	○		
High-arched foot (mild/moderate)	○	○	○	○	○	○
Post traumatic foot def.	○	○	○		○	○
Chronic heel and ankle pain		●		●	●*	
Symptoms of the MTP joint			●		●*	
Achilles tendon symptoms						
Knee joint/back pain	○	○	○	○	○	○
FUNCTION/USE/EFFECT OF FOOT ORTHOSES						
Support	●*	○	○	○	●	●
Correction						
Guidance/Stabilization	○	○	●	○	○	○
Cushioning/Pressure relief	○*	●	●	●	○*	○*
Activation/Stimulation						
Wear prophylaxis	○	○	●	○	○	○
Injury prophylaxis		○	○	○		
ADAPTABILITY	➡*	➡	➡	➡	➡	➡
EFFORT REQUIRED FOR PROCESSING	➡	➡*	➡	➡	➡	➡

● Preferred use
○ Further possible applications
● Main indication
○ Concomitant indication
● Main use/effect
○ Concomitant use/effect
➡ Moderate

* Depending on the structural design of the foot orthosis or the type of foot orthosis

	SOFT FOAM			MILLED	CORK
	TRIactive®	**ErgoPad® Soft GloboTec® Soft**	**GloboTec® Soft Diabetes**	**ErgoPad® ID**	**GloboTec® Elastra-Cork**
PAGES	**62 – 63**	**64 – 65 70 – 79**	**80**	**82 – 83**	**88 – 93**
AREA OF APPLICATION					
Work					
Business					
Sports	●			●*	
Kids					
Comfort	○	●	○	●*	●
Special		○	●	○	
INDICATIONS/SYMPTOMS					
Arch decreased/splay foot	●	●	○	●*	●
Skew foot	●	●	○	●*	●*
High-arched foot (mild/moderate)	○	○	○	●*	○
Diab. foot syndrome			●	●*	
Rheumatoid foot def.			●	●*	○
Post traumatic foot def.	○	○	○	○*	○
Chronic heel and ankle pain	○*	○	○	○*	
Achilles tendon symptoms	○	○		○*	○
Knee joint/back pain	○	○	○	○	○
FUNCTION/USE/EFFECT OF FOOT ORTHOSES					
Support	●	●	○	●*	●*
Correction				●*	○*
Guidance/Stabilization	○	○	○	●*	○*
Cushioning/Pressure relief	●	●	●	●*	○*
Activation/Stimulation				○*	
Wear prophylaxis	○	○		○	○
Injury prophylaxis	○		○	○*	
ADAPTABILITY	→	↑	↑	↑*	→
EFFORT REQUIRED FOR PROCESSING	→	→*	↑	↑*	↑

● Preferred use
○ Further possible applications
● Main indication
○ Concomitant indication
● Main use/effect
○ Concomitant use/effect
→ Moderate
↑ high

* Depending on the structural design of the foot orthosis or the type of foot orthosis

MODERN MEASUREMENT TECHNOLOGY
FOR FOOT CARE AT A GLANCE

	BODYTRONIC® 100 medilogic Pressure plate Pro (wireless)	BODYTRONIC® 110 medilogic Pressure plate Basic (with cable)
PAGE	106 – 107	106 – 107
FUNCTION		
2D foot image Plantar		
3D foot image Without plantar		
Foot pressure (1 foot/dynamic)	●	●
Foot pressure (2 feet/static)	●	
Recording of gait line	●	●
Scan from foam imprint		
Diagnosis support for foot deformations	●	●
Export of 3D data for shoe and last manufacture		

[1] Available with or without integrated foot scanner

	BODYTRONIC® 150	**BODYTRONIC® 140**	**TouchPoint 1 and 2**	**BODYTRONIC® 400**	**BODYTRONIC® 600**
	medilogic	Rothballer	Rothballer	Rothballer	Bauerfeind
	WLAN measuring insole	2D foot scanner	2D foot scanner	3D scanning system	3D scanner
	106 – 107	**108 – 109**	**108 – 109**	**110 – 111**	**110 – 111**
		●	●	●[1]	
				●	●
	●				
	●				
	●				
				●	●
	●	●	●	●	
				●	●

SYNTHETIC FOOT ORTHOSES
THE EXPERTISE LIES IN THE CORE

ErgoPad® weightflex
ErgoPad® weightflex 2



The weightflex orthotic core is available in "soft," "medium," and "strong" versions to suit each patient's individual foot conditions, therapeutic goals, and body weight.



SOFT MEDIUM STRONG



SUITABLE FOR DIFFERENT HEEL HEIGHTS
Whether you are wearing ballerina-style shoes or pumps – thanks to the integral hinges in the forefoot and heel areas, the foot orthosis can easily be adapted to suit any heel height up to 6 cm.

1 **HINGE JOINTS**
The orthotic core is bendable in both the heel and forefoot areas, so it can be adapted to suit a variety of heel heights.

2 **ANATOMY TAKEN INTO ACCOUNT**
The edging at the front of the core is anatomically contoured, leaving the metatarsophalangeal (MTP) joints free. The edges end thin.

3 **REDUCED STRAIN AT THE BASE OF THE MTP V JOINT**
The outer area of the orthotic core is lower at the base of the fifth metatarsal bone. This takes into account the biomechanical requirements of this part of the foot.

	ErgoPad® weightflex	ErgoPad® weightflex 2
AREA OF APPLICATION	• Stable support for mild to pronounced arch decreased and splay foot and mild pes cavus • Available for strong, moderate and mild loading of the foot • Suitable for business and leisure shoes with a heel height of up to 6 cm	
FEATURES	• Cushioning layer	• Coated with high-quality polyurethane soft foam
	• Supports the foot arches	• Stimulates the muscles through sensorimotor spots in the PU surface
	• Microfiber top cover	• Fabric top cover
	• Low construction height	• Good cushioning properties despite its low construction height
	• Lower at the base of the fifth metatarsal bone • Core in three different levels of density (soft, medium, strong) • Supports the natural torsional movement of the foot • Can be adapted to suit various heel heights by means of hinges in the front of the core area and at the heel • A choice of narrow or wide cores and foot orthosis contours	
INFORMATION		
MANUFACTURING/ MODIFICATIONS	• Can be grinded at the sides (distance from core at least 2 mm)	• Easy to grind
	• Easy to bond (standard workshop adhesives)	• Cutting along the marked line creates a ¾ or short-sole version
	• Orthotic cores can be thermoplastically molded at 80 °C to max. 100 °C (warming in a water bath is recommended)	• Complete thermoplastic molding is possible (oven set to 90 °C, approx. 2 minutes)
	• When modifying the orthotic core, we recommend that you apply a top cover, e.g. made from microfiber or leather.	
CLEANING/CARE	• Can be wiped off, easily washed off • Do not expose to heat sources • Allow to air-dry • We recommend that the functional properties of the foot orthosis are checked after 6 months of use.	

Applies for both foot orthoses variants

ErgoPad® weightflex



CORE: WIDE, LOOSE

VERSION	SIZE (**)	ITEM NUMBER
Soft	40 – 47	3 18031 1 00000**
Medium	40 – 47	3 18032 1 00000**
Strong	40 – 47	3 18033 1 00000**

CORE: NARROW, LOOSE

VERSION	SIZE (**)	ITEM NUMBER
Soft	35 – 41	3 18041 1 00000**
Medium	35 – 41	3 18042 1 00000**
Strong	35 – 41	3 18043 1 00000**

BASE LAYER: WIDE, LOOSE

TOP COVER	BOTTOM COATING	VERSION	SIZE (**)	ITEM NUMBER
–	Long	Medium, long	40 – 48[1]	3 18532 5 78110**
–	Long	Strong, long	40 – 48[1]	3 18533 5 78110**

BASE LAYER: NARROW, LOOSE

TOP COVER	BOTTOM COATING	VERSION	SIZE (**)	ITEM NUMBER
–	Long	Medium, long	35 – 42[1]	3 18542 5 78110**
–	Long	soft, long	35 – 42[1]	3 18541 5 78110**

[1] Not a stock item. Please note that a longer delivery time will apply.

SOFT, NARROW

TOP COVER	CUSHION LAYER	PAD	BOTTOM COATING	VERSION	SIZE (**)	ITEM NUMBER
Microfiber anthracite	–	Latex pad	Long	Long	35 – 42	3 18541 5 74520**
Microfiber anthracite	PU cushion 1.5 mm	Latex pad	Long	Long	35 – 42	3 18541 5 77430**
Microfiber anthracite	–	Latex pad loose	Long	Long, open at the front	35 – 42	3 18541 5 78305**
Microfiber anthracite	PU cushion 1.5 mm	Latex pad loose	Long	Long, open at the front	35 – 42	3 18541 5 78425**

MEDIUM, NARROW

TOP COVER	CUSHION LAYER	PAD	BOTTOM COATING	VERSION	SIZE (**)	ITEM NUMBER
Sleek leather firm, perforated 1.0 – 1.25 mm	–	Latex pad	Short beige	Long	35 – 42	3 18542 5 37410**
Sleek leather soft 1.5 mm	–	Latex pad	Short beige	Long	35 – 42	3 18542 5 37520**
Calfskin, perforated	Globofit beige 2 mm	Latex pad	Short beige	Long	35 – 42	3 18542 5 47210**
Sleek leather firm, perforated 1.0 – 1.25 mm	–	Latex pad loose	Short beige	Long, open at the front	35 – 42	3 18542 5 57440**
Lai Porellina dark blue, perforated	–	Latex pad	Long	Long	35 – 42	3 18542 5 74320**
Microfiber anthracite	PU cushion 1.5 mm	Latex pad	Long	Long	35 – 42	3 18542 5 77430**

ErgoPad® weightflex

MEDIUM, WIDE

TOP COVER	CUSHION LAYER	PAD	BOTTOM COATING	VERSION	SIZE (**)	ITEM NUMBER
Sleek leather firm, perforated 1.0 – 1.25 mm	–	Latex pad	Short beige	Long	40 – 48	3 18532 5 37410**
Sleek leather soft 1.5 mm	–	Latex pad	Short beige	Long	40 – 48	3 18532 5 37520**
Calfskin, perforated	Globofit Beige 2 mm	Latex pad	Short beige	Long	40 – 48	3 18532 5 47210**
Sleek leather firm, perforated 1.0 – 1.25 mm	–	Latex pad loose	Short beige	Long, open at the front	40 – 48	3 18532 5 57440**
Lai Porellina dark blue, perforated	–	Latex pad	Long	Long	40 – 48	3 18532 5 74320**
Microfiber anthracite	PU cushion 1.5 mm	Latex pad	Long	Long	40 – 48	3 18532 5 77430**

STRONG, WIDE

TOP COVER	CUSHION LAYER	PAD	BOTTOM COATING	VERSION	SIZE (**)	ITEM NUMBER
Sleek leather firm, perforated 1.0 – 1.25 mm	–	Latex pad	Short beige	Long	40 – 48	3 18533 5 37410**
Sleek leather soft 1.5 mm	–	Latex pad	Short beige	Long	40 – 48	3 18533 5 37520**
Calfskin, perforated	Globofit Beige 2 mm	Latex pad	Short beige	Long	40 – 48	3 18533 5 47210**
Sleek leather firm, perforated 1.0 – 1.25 mm	–	Latex pad loose	Short beige	Long, open at the front	40 – 48	3 18533 5 57440**
Lai Porellina dark blue, perforated	–	Latex pad	Long	Long	40 – 48	3 18533 5 74320**
Microfiber anthracite	PU cushion 1.5 mm	Latex pad	Long	Long	40 – 48	3 18533 5 77430**

More items and sizes are available as custom-made solutions.
Please contact the relevant field sales representative or call the service hotline number 0800-0010530.

ErgoPad® weightflex 2

NARROW, LONG

TOP COVER	PAD	VERSION	SIZE (**)	ITEM NUMBER
Fabric frost green	√	Soft, long, with a PU coating	35 – 42	3 76541 5 00000**
Fabric frost green	√	Medium, long, with a PU coating	35 – 42	3 76542 5 00000**
Fabric frost green	√	Strong, long, with a PU coating	35 – 42	3 76543 5 00000**

WIDE, LONG

TOP COVER	PAD	VERSION	SIZE (**)	ITEM NUMBER
Fabric anthracite	√	Soft, long, with a PU coating	40 – 48	3 76531 5 00000**
Fabric anthracite	√	Medium, long, with a PU coating	40 – 48	3 76532 5 00000**
Fabric anthracite	√	Strong, long, with a PU coating	40 – 48	3 76533 5 00000**

GloboTec® Comfort

GloboTec® Comfort, style
The elegant solution

ITEM NUMBER
3 12380 5 86622**

USES/INDICATIONS

- Moderate support for flattened or slightly raised foot arches with limited space available inside the shoe
- Ideal for customers/patients who are using foot orthoses for the first time
- An efficient, modern product that comes in a range of different versions and is easy to adapt
- Suitable for business and leisure shoes

FEATURES

- Semi-elastic orthotic blank
- Flexible and soft edges
- Low construction height, available in long-sole and short-sole versions
- High level of wearing comfort thanks to moderate foot arch supports
- Selected models feature a stabilizing heel half-cup

INFORMATION

MANUFACTURING/MODIFICATIONS

- Partial and complete thermoplastic molding possible (hot air blower or oven, 110 °C, approx. 20–30 sec. for partial thermoforming, approx. 2 min. for complete thermoforming)
- Easy to grind (grinding belt, grit 60–100, polishing brush on the blade disk)
- Easy to bond (standard workshop adhesives)

CLEANING/CARE

- The surfaces can be wiped clean using a mild cleanser and a sponge (except leather top covers).
- Not machine-washable
- Do not expose to direct heat (central heating, direct sunlight)
- We recommend that the functional properties of the foot orthosis are checked after 6 months of use.

GloboTec® Comfort, style DESIGN IN DETAIL



1. **MICROFIBER TOP COVER**
   provides a comfortable contact surface for the foot
2. **CUSHIONING LAYER**
   long-sole extra soft bedding in the "individual" and "soft" models
3. **PAD**
   supports the natural arch of the foot behind the metatarsophalangeal joints (not available for the "individual" model)
4. **FOREFOOT CUSHION**
   provides soft bedding for sensitive feet (not available for the "individual" model)
5. **BUTTERFLY CORE**
   supports the arch of the foot
6. **HEEL CUSHION**
   ensures a soft tread
7. **BOTTOM COATING**
   with a black carbon-colored finish

NORMAL LONGITUDINAL ARCH, NARROW

TOP COVER	CUSHION LAYER	METATARSAL PAD	VERSION	SIZE (**)	ITEM NUMBER
Fleece	–	–	Short	35 – 47[1]	3 12540 1 00000**
Fleece	–	–	Long	35 – 46	3 12540 5 00000**
Calfskin perforated	–	√	Long	35 – 46	3 12640 5 00000**
Microfiber beige	–	√	Long	35 – 46	3 12640 5 01400**
Microfiber blue	–	√	Long	35 – 46	3 12640 5 01401**
Microfiber anthracite	–	√	Long	35 – 46	3 12640 5 01403**
Microfiber beige	Globofit beige 2 mm (12° Shore A)	√	Long	35 – 46	3 12740 5 01400**

[1] Not a stock item. Please note that a longer delivery time will apply.

GloboTec® Comfort

NORMAL LONGITUDINAL ARCH, WIDE

TOP COVER	CUSHION LAYER	METATARSAL PAD	VERSION	SIZE (**)	ITEM NUMBER
Fleece	–	–	Short	35 – 48	3 12550 1 00000**
Fleece	–	–	Long	35 – 48	3 12550 5 00000**
Microfiber beige	–	√	Long	35 – 48	3 12650 5 01400**
Microfiber blue	–	√	Long	35 – 48[1]	3 12650 5 01401**
Microfiber anthracite	–	√	Long	35 – 48	3 12650 5 01403**
Microfiber beige	Globofit beige 2 mm (12° Shore A)	√	Long	35 – 48	3 12750 5 01400**

MEDIUM WIDTH

TOP COVER	CUSHION LAYER	METATARSAL PAD	VERSION	SIZE (**)	ITEM NUMBER
Fleece	–	–	Short	35 – 48	3 12530 1 00000**
Fleece	–	–	Long	35 – 48	3 12530 5 00000**
Microfiber blue	–	√	Short	35 – 48	3 12630 1 01401**
Calfskin perforated	–	√	Long	35 – 48	3 12630 5 00000**
Microfiber beige	–	√	Long	35 – 48	3 12630 5 01400**
Microfiber blue	–	√	Long	35 – 48	3 12630 5 01401**
Microfiber anthracite	–	√	Long	35 – 48	3 12630 5 01403**
Microfiber beige	Globofit beige 2 mm (12° Shore A)	√	Long	35 – 48	3 12730 5 01400**

[1] Not a stock item. Please note that a longer delivery time will apply.

SPECIAL VERSIONS

DESCRIPTION	TOP COVER	CUSHION LAYER	PAD	VERSION	SIZE (**)	ITEM NUMBER
Sports	Microfiber blue	–	Metatarsal pad	Wide, long, Davos cleats	35 – 48	3 12180 5 01401**
–	–	TECtop blue perforated 2 mm (30° Shore A)	Metatarsal pad	Wide, long, Davos cleats	35 – 48	3 12180 5 22210**
–	–	TECtop blue perforated 2 mm (30° Shore A)	Metatarsal pad	Narrow, long, Davos cleats	35 – 42	3 12190 5 22210**
–	Calfskin perforated	–	Latex pad	Narrow, long, Davos cleats	35 – 41[1]	3 12190 5 82006**
Pumps	Microfiber beige	–	Metatarsal pad	Narrow, long, high longitudinal arch	35 – 44[3]	3 12380 5 01400**
–	Fleece	–	–	Wide, long, high longitudinal arch, moderate heel cup	35 – 48	3 12580 5 00000**
–	Fleece	–	–	Narrow, long, high longitudinal arch, moderate heel cup	35 – 42	3 12590 5 00000**
–	Microfiber blue	–	Metatarsal pad	Wide, short, moderate heel cup	35 – 48[1]	3 12680 1 01401**
–	Microfiber blue	–	Metatarsal pad	Wide, long, moderate heel cup	35 – 48	3 12680 5 01401**
–	Microfiber anthracite	–	Metatarsal pad	Wide, long, moderate heel cup	35 – 48	3 12680 5 01403**
–	Microfiber blue	–	–	Long, high heel cup	20 – 44[2]	3 12890 5 01401**

[1] Not a stock item. Please note that a longer delivery time will apply.
[2] Double sizing
[3] Margin sizes. Not a stock item. Please note that a longer delivery time will apply.

GloboTec® Comfort

GloboTec Comfort sports

DESCRIPTION	TOP COVER	CUSHION LAYER	PAD	BOTTOM COATING	VERSION	SIZE (**)	ITEM NUMBER
walk	Microfiber navy	PowerWave walk 3 mm	Latex pad	Long	Long	35–48	3 13100 5 00000**
walk	Microfiber navy	PowerWave walk 3 mm	–	Long	Long	35–48	3 13100 5 00350**
play	Microfiber navy	PowerWave play 3 mm	Latex pad	Long	Long	35–48	3 13150 5 00000**
play	Microfiber navy	PowerWave play 3 mm	–	Long	Long	35–48	3 13150 5 00350**
play	Microfiber navy	PowerWave play 3 mm	–	Long	Loose top layer, long	35–48	3 13150 5 22110**
run	Microfiber navy	PowerWave run 3 mm	Latex pad	Long	Long	35–48	3 13250 5 00000**
run	Microfiber navy	PowerWave run 3 mm	–	Long	Long	35–48	3 13250 5 00350**
run	Microfiber navy	PowerWave run 3 mm	–	Long	Loose top layer, long	35–48	3 13250 5 22110**
golf	Microfiber navy	PowerWave golf 3 mm	Latex pad	Long	Long	35–48	3 13400 5 00000**

GloboTec Comfort business, WIDE, LONG

TOP COVER	CUSHION LAYER	PAD	BOTTOM COATING	VERSION	SIZE (**)	ITEM NUMBER
Microfiber brown	–	Latex pad	Long	–	38–48	3 13330 5 00000**
Microfiber brown	PowerWave walk 2 mm	Latex pad	Long	–	38–48	3 13730 5 00000**
Microfiber brown	PowerWave walk 2 mm	–	Long	Loose top layer	38–48[1]	3 13730 5 22110**

[1] Not a stock item. Please note that a longer delivery time will apply.

GloboTec Comfort business, NARROW, LONG

TOP COVER	CUSHION LAYER	PAD	BOTTOM COATING	VERSION	SIZE (**)	ITEM NUMBER
Microfiber brown	–	Latex pad	Long	–	35 – 42	3 13340 5 00000**
Microfiber brown	PowerWave walk 2 mm	Latex pad	Long	–	35 – 42	3 13740 5 00000**
Microfiber brown	PowerWave walk 2 mm	–	Long	Loose top layer	35 – 42[1]	3 13740 5 22110**

GloboTec® Comfort, style

DESCRIPTION	TOP COVER	CUSHION LAYER	PAD	BOTTOM COATING	VERSION	SIZE (**)	ITEM NUMBER
The elegant solution	Microfiber orange	Functional cushion	Latex pad	Long	Narrow, long	35 – 42	3 12380 5 86622**
The smart solution	Microfiber navy	Functional cushion	Latex pad	Long	Medium width, long	38 – 48	3 12350 5 87210**
The soft solution	Microfiber navy	–	Latex pad	Long	Medium width, long	35 – 48	3 12350 5 88010**
The individual solution	Microfiber navy	–	Latex pad	Short	Medium width, long, open at the front	35 – 48	3 12350 5 86015**
Hallux	Microfiber navy	Functional cushion	Latex pad	Long	Long	35 – 48	3 36883 5 00000**

CHILDREN'S FOOT ORTHOSES, LONG, WITHOUT PAD, HEEL CUP HIGH

TOP COVER	CUSHION LAYER	VERSION	SIZE (**)	ITEM NUMBER
Microfiber blue (animal tracks)	–	Narrow heel	20 – 44[2]	3 12870 5 00000**
Microfiber blue (animal tracks)	TECmoll blue 2 mm (35° Shore A)	Wide heel	20 – 44[2]	3 12880 5 00000**
Microfiber blue	–	–	20 – 34[2]	3 12890 5 01401**

[1] Not a stock item. Please note that a longer delivery time will apply.
[2] Double sizing

ErgoPad® redux heel
ErgoPad® redux heel 2

RELIEF CORE TECHNOLOGY

ErgoPad® redux heel

ITEM NUMBER
3 12450 5 00000**

ErgoPad® redux heel
DESIGN IN DETAIL



1. **MICROFIBER TOP COVER**
2. **CUSHION LAYER**
   with PU cushion
3. **PAD**
4. **SYNTHETIC CORE**
   with cut-out and fan-shaped plantar section
5. **BOTTOM COATING**
   with PU cushion

	ErgoPad® redux heel	ErgoPad® redux heel 2
AREA OF APPLICATION	• Suitable for standard and comfort shoe shapes	• Suitable for shoes with limited space inside
	• For effective treatment of chronic heel and ankle pain, plantar fasciitis and plantar calcaneal spurs (a condition that affects 10% of the adult population!) • For preventing chronic symptoms • For supporting flattened or slightly raised foot arches	
FEATURES	• With high-quality multi-layer cushions	• Coated with high-quality polyurethane soft foam
	• Available with a bonded or unbonded cushion layer	• Low construction height
		• Requires little modification
	• Cushioning in the painful, pressure-sensitive heel area • Synthetic orthotic core with hole notches and an intelligent fan design for relieving the plantar aponeurosis	
INFORMATION		
MANUFACTURING/ MODIFICATIONS	• Easy to grind (grinding belt, grit 60–100, polishing brush on the blade disk)	• Easy to grind
	• Easy to bond (standard workshop adhesives)	• Cutting along the marked line creates a ¾ or short-sole version
	• Complete thermoplastic molding is possible (oven set to 110 °C, approx. 5 minutes)	• Requires little modification
	• The separate top layer allows the pads to be freely positioned and makes modifications possible.	• Thermoplastic molding is possible (oven set to 110 °C, approx. 5 minutes)
CLEANING/CARE	• Can be wiped off, easily washed off • Do not expose to heat sources • Allow to air-dry • We recommend that the functional properties of the foot orthosis are checked after 6 months of use.	

Applies for both foot orthoses variants



ErgoPad® redux heel

LOOSE TOP LAYER

TOP COVER	CUSHION LAYER	PAD	BOTTOM COATING	VERSION	SIZE (**)	ITEM NUMBER
Microfiber anthracite	TECmoll silver-gray 3 mm (35° Shore A)	Latex pad loose	Cordura nylon	Wide, long, comfort shoe shape	38 – 48	3 12400 5 00440**
Microfiber macchiato	TECmoll silver-gray 3 mm (35° Shore A)	Latex pad loose	Cordura nylon	Narrow, long, comfort shoe shape	35 – 42	3 12402 5 00440**

BONDED VERSIONS

TOP COVER	CUSHION LAYER	PAD	BOTTOM COATING	VERSION	SIZE (**)	ITEM NUMBER
Microfiber anthracite	TECmoll silver-gray 3 mm (35° Shore A)	Latex pad	Cordura nylon	Wide, long	38 – 48	3 12450 5 00000**
Microfiber macchiato	TECmoll silver-gray 3 mm (35° Shore A)	Latex pad	Cordura nylon	Narrow, long	35 – 42	3 12440 5 00000**

ErgoPad® redux heel 2

ErgoPad® redux heel 2

TOP COVER	PAD	VERSION	SIZE (**)	ITEM NUMBER
Fabric frost green	√	Narrow, long, with a PU coating	35 – 42	3 77540 5 00000**
Fabric anthracite	√	Wide, long, with a PU coating	38 – 48	3 77530 5 00000**

ErgoPad® redux hallux

ITEM NUMBER
3 36942 5 00000**

USES/INDICATIONS

- Primarily suited for non-surgical (pre- and postoperative) treatment of hallux limitus and hallux rigidus (stiffening of the big toe)

FEATURES

- Designed to limit painful movements in the first metatarsophalangeal joint (MTP 1)
- A viscoelastic reinforcement element can be applied on one side (right or left, with the opposite side flexible) or on both sides.
- The reinforcement element supports the entire forefoot (preventing forefoot misalignments)
- The ball of the big toe lies freely and is more deeply embedded
- PU cushion layer (2 mm)
- Low construction height

INFORMATION

MANUFACTURING/MODIFICATIONS

- Requires little modification
- The longitudinal arch support can be thermoformed (hot air blower, 110 °C, 20–30 sec.)
- The pads can be freely positioned in versions that are open at the front.

CLEANING/CARE

- Surfaces can be wiped clean using a mild cleanser and a sponge.
- Do not expose to direct heat (central heating, direct sunlight)
- We recommend that the functional properties of the foot orthosis are checked after 6 months of use.

ErgoPad® redux hallux
DESIGN IN DETAIL



1. **TOP COVER AND PU CUSHION LAYER**
   high-quality microfiber top cover containing antibacterial silver ions;
   PU cushion layer
2. **PAD**
3. **BUTTERFLY CORE**
   optimal support for the metatarsal area without allowing the foot orthosis to become torsion-resistant
4. **ORTHOTIC CORE**
5. **REINFORCEMENT ELEMENT**
   provides relief for the painful area;
   prevents supination misalignment of the forefoot;
   avoids levering out of the shoes
6. **FRAME**
7. **BOTTOM COATING**
   tried-and-tested grip film – the non-slip, flexible layer in contact with the shoe

ErgoPad® redux hallux

NARROW, LONG

TOP COVER	CUSHION LAYER	PAD	BOTTOM COATING	VERSION	SIZE (**)	ITEM NUMBER
Microfiber beige	Globofit beige 2 mm (12° Shore A)	Latex pad	Cordura nylon	Reinforced on the left (L)	35 – 42	3 36941 5 00000**
Microfiber beige	Globofit beige 2 mm (12° Shore A)	Latex pad	Cordura nylon	Reinforced on the right (R)	35 – 42	3 36942 5 00000**
Microfiber beige	Globofit beige 2 mm (12° Shore A)	Latex pad	Cordura nylon	Reinforced on both sides (L/R)	35 – 42	3 36943 5 00000**

NARROW, LONG, OPEN AT THE FRONT

TOP COVER	CUSHION LAYER	PAD	BOTTOM COATING	VERSION	SIZE (**)	ITEM NUMBER
Microfiber beige	Globofit beige 2 mm (12° Shore A)	Latex pad loose	Cordura nylon	Reinforced on the left (L), open at the front	35 – 42[1]	3 36941 5 22992**
Microfiber beige	Globofit beige 2 mm (12° Shore A)	Latex pad loose	Cordura nylon	Reinforced on the right (R), open at the front	35 – 42[1]	3 36942 5 22992**
Microfiber beige	Globofit beige 2 mm (12° Shore A)	Latex pad loose	Cordura nylon	Reinforced on both sides (L/R), open at the front	35 – 42[1]	3 36943 5 22992**

WIDE, LONG

TOP COVER	CUSHION LAYER	PAD	BOTTOM COATING	VERSION	SIZE (**)	ITEM NUMBER
Microfiber brown	Globofit beige 2 mm (12° Shore A)	Latex pad	Cordura nylon	Reinforced on the left (L)	38 – 48	3 36931 5 00000**
Microfiber brown	Globofit beige 2 mm (12° Shore A)	Latex pad	Cordura nylon	Reinforced on the right (R)	38 – 48	3 36932 5 00000**
Microfiber brown	Globofit beige 2 mm (12° Shore A)	Latex pad	Cordura nylon	Reinforced on both sides (L/R)	38 – 48	3 36933 5 00000**

WIDE, LONG, OPEN AT THE FRONT

TOP COVER	CUSHION LAYER	PAD	BOTTOM COATING	VERSION	SIZE (**)	ITEM NUMBER
Microfiber brown	Globofit beige 2 mm (12° Shore A)	Latex pad loose	Cordura nylon	Reinforced on the left (L), open at the front	38 – 48[1]	3 36931 5 22992**
Microfiber brown	Globofit beige 2 mm (12° Shore A)	Latex pad loose	Cordura nylon	Reinforced on the right (R), open at the front	38 – 48[1]	3 36932 5 22992**
Microfiber brown	Globofit beige 2 mm (12° Shore A)	Latex pad loose	Cordura nylon	Reinforced on both sides (L/R), open at the front	38 – 48[1]	3 36933 5 22992**

[1] Not a stock item. Please note that a longer delivery time will apply.

ErgoPad® work for safety shoes
ErgoPad® work:h

ErgoPad® work for safety shoes
DESIGN IN DETAIL

1 **TOP COVER AND CUSHION LAYER**
Conductivity (see guidelines) based on the silver in the X-Static fiber of the top cover

Cushion layer made of conductive EVA (1.5 mm forefoot cushion)

2 **SOFT COMPONENT**
is shock absorbing

3 **RIGID COMPONENT**
supports the foot arches and improves hindfoot stability thanks to the firm heel cup

flexible springs promote the dynamic gait pattern underneath the MTP joint.

ErgoPad® work:h
DESIGN IN DETAIL

1 TOP COVER AND CUSHION LAYER
conductivity (see guidelines) due to carbon fibers woven into the polyester top cover

Soft cushion layer made of conductive foam
(5 mm forefoot and heel cushioning)

2 ANATOMICALLY CONTOURED PAD
supports the natural arch of the foot behind the metatarsophalangeal joints

3 SELF-SUPPORTING SYNTHETIC CORE
cut-out in the heel area for extra cushioning; fan design on the sole for reduced pressure on the inflamed tendon path (recent study results demonstrate the high level of effectiveness of the orthotic core in terms of pain reduction; foot orthosis treatment for plantar fasciitis, study conducted by Dr. med. Markus Walther)*

4 BOTTOM COATING
maximum-sized non-slip contact surface between the foot orthosis and the shoe; made of conductive EVA

* Walther, Markus et al.: Effect of different orthotic concepts as first line treatment of plantar fasciitis. In: Foot And Ankle Surgery, Vol. 19, No. 2, June 2013, p. 103–107

ErgoPad® work for safety shoes
ErgoPad® work:h

ErgoPad® work for safety shoes

ErgoPad® work:h

USES/INDICATIONS

- Moderate support for flattened foot arches, and relief of foot, knee and back pain if required
- For (work-related) loading of the locomotor apparatus while standing, walking or carrying heavy loads and in case of excessive physical strain and premature muscle fatigue
- Suitable for work and safety shoes as well as leisure and comfort shoes

FEATURES

- Patented injection-molded orthotic core with both rigid and soft functional areas
- Synthetic orthotic core with hole notches and an intelligent fan design for relieving the plantar aponeurosis

- Adequate orthopedic support for the foot arches and the musculoskeletal system
- Cushioning areas with durable elasticity under the heel and the lateral midfoot and forefoot area
- Stabilizing heel cup for improved hindfoot stability
- The orthopedic foot orthoses are design-tested in combination with various safety shoes in accordance with EN ISO 20345 and DIN EN 61340
  (for an overview of current models, go to www.bauerfeind.de/schuhfinder)

INFORMATION

MANUFACTURING/ MODIFICATIONS

- In accordance with the enclosed instructions for use
- Easy to grind (grinding belt, grit 24–40, polishing brush on the blade disk)
- Easy to bond (using a design-tested adhesive and construction materials)
- Partial thermoplastic molding possible (hot air blower, 120 °C, approx. 20 sec.)

CLEANING/CARE

- Surfaces can be wiped clean using a mild cleanser and a sponge
- Not machine-washable
- Do not expose to direct heat (central heating, direct sunlight)
- We recommend that the functional properties of the foot orthosis are checked after 6 months of use.

Applies for both foot orthoses variants

ErgoPad® work

TOP COVER	CUSHION LAYER	PAD	VERSION	SIZE (**)	ITEM NUMBER
Velour blue	TECmoll	√	Long	35 – 50	3 10650 5 00000**

ErgoPad® work for safety shoes

TOP COVER	CUSHION LAYER	PAD	VERSION	SIZE (**)	ITEM NUMBER
Velour black	ESD foam	√	Long	35 – 52[3]	3 10600 5 00000**

ErgoPad® work:h

TOP COVER	CUSHION LAYER	PAD	BOTTOM COATING	VERSION	SIZE (**)	ITEM NUMBER
Fabric gray	ESD foam	Latex pad	ESD foam	Long	35 – 48	3 10350 5 00000**
Fabric gray	ESD foam	–	ESD foam	Long	35 – 48	3 10350 5 00350**
Fabric gray	ESD foam	Latex pad	ESD foam	Long, open at the front	35 – 48	3 10350 5 00100**

[3] Margin sizes. Not a stock item. Please note that a longer delivery time will apply.

GloboTec® Patricia®

GloboTec® Patricia®
Half-cup leather blank, long-sole

ITEM NUMBER
3 11062 5 00000**

USES/INDICATIONS

- For supporting flattened or slightly raised foot arches
- Suitable for people with a normal body weight
- Suitable for business and leisure shoes with limited space available inside

FEATURES

- Flexible injection-molded orthotic core
- Thin materials, available in long-sole and short-sole versions
- Very thin at the heel and the edges
- Selected models feature a stabilizing heel half-cup

INFORMATION

MANUFACTURING/MODIFICATIONS

- Partially thermo-formable Patricia® core (hot air blower, 130–150 °C, approx. 30 sec.)
- Easy to bond (standard workshop adhesives)

CLEANING/CARE

- The surfaces can be wiped clean using a mild cleanser and a sponge (except leather top covers).
- Not machine-washable
- Do not expose to direct heat (central heating, direct sunlight)
- We recommend that the functional properties of the foot orthosis are checked after 6 months of use.

HEEL CUP

TOP COVER	CUSHION LAYER	PAD	CORE	BOTTOM COATING	VERSION	SIZE (**)	ITEM NUMBER
Sleek leather soft 1.5 mm	–	Latex pad	Half-cup leather blank	Clarino Nash	Narrow, short, heel cup	35 – 44[3]	3 11062 1 00000**
Sleek leather soft 1.5 mm	–	Latex pad	Half-cup leather blank	Clarino Nash	Narrow, long, heel cup	35 – 42	3 11062 5 00000**
Sleek leather soft 1.5 mm	–	Latex pad	Half-cup leather blank	Clarino Nash	Wide, short, heel cup	38 – 48	3 11063 1 00000**
Sleek leather soft 1.5 mm	–	Latex pad	Half-cup leather blank	Clarino Nash	Wide, long, square shape, heel cup	38 – 48	3 11063 5 00000**
Cowhide perforated 0.8 mm	–	Latex pad	Half-cup leather blank	Fleece	Narrow, short, heel cup	35 – 44[3]	3 11092 1 00000**
Cowhide perforated 0.8 mm	–	Latex pad	Half-cup leather blank	Fleece	Wide, short, heel cup	38 – 48	3 11093 1 00000**
–	Lunasoft (four-colored) 3 mm (40° Shore A)	Metatarsal pad from size 36	Soft cushioning cup blank	Fleece	Narrow, long, supination wedge loose, heel cup	20 – 40[2,3]	3 11171 5 00000**
Goatskin 0.8 mm	TECmoll silver-gray 3 mm (35° Shore A)	Latex pad	Soft cushioning cup blank	Fleece	Narrow, long, heel cup	35 – 48[3]	3 11562 5 00000**
Goatskin 0.8 mm	TECmoll silver-gray 3 mm (35° Shore A)	Latex pad	Soft cushioning cup blank	Fleece	Wide, long, square shape, heel cup	38 – 48	3 11563 5 00000**

SLEEK LEATHER SOFT 1.5 mm

PAD	CORE	BOTTOM COATING	VERSION	SIZE (**)	ITEM NUMBER
Latex pad	Leather blank	Clarino Nash	Narrow, short (MTP joints free)	35 – 40	3 11052 1 00000**
Latex pad	Leather blank	Clarino Nash	Narrow, short (MTP joints free)	41 – 48[1]	3 11053 1 00000**
Latex pad	Leather blank	Clarino Nash	Narrow, short	35 – 40	3 11212 1 00000**
Latex pad	Leather blank	Clarino Nash	Narrow, long	35 – 40	3 11212 5 00000**
Latex pad	Leather blank	Clarino Nash	Narrow, long	41 – 48[3]	3 11213 5 00000**
Latex pad	Leather blank	Fleece	Wide, short	35 – 40	3 11112 1 00000**
Latex pad	Leather blank	Fleece	Wide, long	35 – 40	3 11112 5 00000**
Latex pad	Leather blank	Fleece	Wide, short	41 – 48	3 11113 1 00000**
Latex pad	Leather blank	Fleece	Wide, long	41 – 48[3]	3 11113 5 00000**

[1] Not a stock item. Please note that a longer delivery time will apply.
[2] Double sizing
[3] Margin sizes. Not a stock item. Please note that a longer delivery time will apply.

GloboTec® Patricia®

GOATSKIN 0.8 mm
CUSHION LAYER: GLOBOFIT BEIGE 3 mm (12° SHORE A)

PAD	CORE	BOTTOM COATING	VERSION	SIZE (**)	ITEM NUMBER
Latex pad	Soft cushion leather blank	Fleece	Narrow, long	34 – 40[3]	3 11542 5 00000**
Latex pad	Soft cushion leather blank	Fleece	Narrow, long	41 – 48[3]	3 11543 5 00000**
Latex pad	Soft cushion leather blank	Fleece	Wide, long	35 – 40	3 11282 5 00000**
Latex pad	Soft cushion leather blank	Fleece	Wide, long	41 – 48[3]	3 11283 5 00000**

GOATSKIN 0.8 mm
CUSHION LAYER: TECsoft GRAY 3 mm (25° SHORE A)

PAD	CORE	BOTTOM COATING	VERSION	SIZE (**)	ITEM NUMBER
Latex pad	Soft cushion leather blank	Fleece	Narrow, long	35 – 40	3 11322 5 00000**
Latex pad	Soft cushion leather blank	Fleece	Narrow, long	41 – 46	3 11323 5 00000**
Latex pad	Soft cushion leather blank	Fleece	Wide, long	35 – 40	3 11332 5 00000**
Latex pad	Soft cushion leather blank	Fleece	Wide, long	41 – 48	3 11333 5 00000**

[3] Margin sizes. Not a stock item. Please note that a longer delivery time will apply.

GOATSKIN 0.8 mm
CUSHION LAYER: TECmoll SILVER-GRAY 3 mm (35° SHORE A)

PAD	CORE	BOTTOM COATING	VERSION	SIZE (**)	ITEM NUMBER
Latex pad	Soft cushion leather blank	Fleece	Narrow, ¾ long	34 – 40[1]	3 11512 3 00000**
Latex pad	Soft cushion leather blank	Fleece	Narrow, long	34 – 40	3 11512 5 00000**
Latex pad	Soft cushion leather blank	Fleece	Narrow, long	41 – 46	3 11513 5 00000**
Latex pad	Soft cushion leather blank	Fleece	Wide, long	35 – 40	3 11532 5 00000**
Latex pad	Soft cushion leather blank	Fleece	Wide, long	41 – 48	3 11533 5 00000**

GOATSKIN 1 mm

PAD	CORE	BOTTOM COATING	VERSION	SIZE (**)	ITEM NUMBER
Latex pad	Leather blank	Fleece	Narrow, short	35 – 40	3 11312 1 00000**
Latex pad	Leather blank	Fleece	Narrow, short	41 – 48[1]	3 11313 1 00000**

CHILDREN'S FOOT ORTHOSES

TOP COVER	PAD	CORE	BOTTOM COATING	CUSHION LAYER	VERSION	SIZE (**)	ITEM NUMBER
Sleek leather soft 1.5 mm	–	Half-cup leather blank	Clarino Nash	–	Narrow, long, heel cup	20 – 32[2] 33 – 34	3 11061 5 00000**
–	–	Half-cup leather blank	Fleece	Lunasoft (four-colored) 3 mm (40° Shore A)	Narrow, long, supination wedge loose, heel cup	20 – 34[2,3]	3 11171 5 00000**

[1] Not a stock item. Please note that a longer delivery time will apply.
[2] Double sizing
[3] Margin sizes. Not a stock item. Please note that a longer delivery time will apply.

GloboTec® PP-Flex (Polyflex)

ITEM NUMBER
3 09349 1 03999**

USES/INDICATIONS

- For supporting flattened or slightly raised foot arches
- Suitable for people with a normal body weight

FEATURES

- Synthetic orthotic cores with various support functions
- Thin materials, available in long-sole and short-sole versions
- Thin heel and edges, some models feature a stabilizing heel cup

INFORMATION

MANUFACTURING/MODIFICATIONS

- Partial and complete thermoplastic molding of the core possible (hot air blower or oven, 130–150 °C, 30–60 sec. for partial thermoforming, approx. 3–4 min. for complete thermoforming)
- Easy to grind
  (grinding belt, grit 60–100, polishing brush on the blade disk)
- Can be bonded to other materials
  (standard workshop adhesives)

CLEANING/CARE

- The surfaces can be wiped clean using a mild cleanser and a sponge (except leather top covers).
- Not machine-washable
- Do not expose to direct heat
  (central heating, direct sunlight)
- We recommend that the functional properties of the foot orthosis are checked after 6 months of use.

WITHOUT TOP COVER

TOP COVER	PAD	BOTTOM COATING	VERSION	SIZE (**)	ITEM NUMBER
–	–	√	Wide, short	24–34[1,2] 35–48	3 09339 1 03999**
–	–	√	Narrow, short	34–46	3 09349 1 03999**

SLEEK LEATHER SOFT 1.5 mm

TOP COVER	PAD	BOTTOM COATING	VERSION	SIZE (**)	ITEM NUMBER
Sleek leather soft 1.5 mm	Latex pad	√	Wide, long	24–34[1,2] 35–48	3 45471 5 00000**
Sleek leather soft 1.5 mm	Latex pad	√	Narrow, short	34–46[3]	3 45481 1 00000**

[1] Not a stock item. Please note that a longer delivery time will apply.
[2] Double sizing
[3] Margin sizes. Not a stock item. Please note that a longer delivery time will apply.

GloboTec® Starflex®

ITEM NUMBER:
3 05431 5 00000**

USES/INDICATIONS

- Stable support for flattened foot arches
- Suitable for average as well as higher body weights

FEATURES

- Stable injection-molded orthotic core
- Break-proof even under high loads
- Thin materials, available in long-sole and short-sole versions

INFORMATION

MANUFACTURING/MODIFICATIONS

- Partial and complete thermoplastic molding of the Starflex core possible (hot air blower or oven, max. 100 °C, approx. 60 sec. for partial thermoforming, approx. 4 min. for complete thermoforming)
- Easy to grind
  (grinding belt, grit 40–100, polishing brush on the blade disk)

CLEANING/CARE

- The surfaces can be wiped clean using a mild cleanser and a sponge (except leather top covers).
- Not machine-washable
- Do not expose to direct heat
  (central heating, direct sunlight)
- We recommend that the functional properties of the foot orthosis are checked after 6 months of use.

CORES

METATARSAL PAD	VERSION	SIZE (**)	ITEM NUMBER
√	Extra wide	40 – 47	3 05111 1 00000**
–	Wide	24 – 34[2] 35 – 48	3 05130 1 00000**
√	Wide	22 – 34[2] 35 – 46	3 05131 1 00000**
–	Narrow	34 – 46	3 05140 1 00000**
√	Narrow	32 – 44[3]	3 05141 1 00000**
–	Extra narrow	36 – 44[2]	3 05180 1 00000**

CORE AND BOTTOM COATING

TOP COVER	PAD	BOTTOM COATING	VERSION	SIZE (**)	ITEM NUMBER
Sleek leather soft 1.5 mm	Latex pad loose	√	Wide, short, top layer loose	24 – 34[2] 35 – 48	3 05331 1 00000**
Sleek leather soft 1.5 mm	Latex pad loose	√	Wide, long, top layer loose	24 – 34[2] 35 – 48	3 05331 5 00000**
Sleek leather soft 1.5 mm	Latex pad loose	√	Narrow, short, top layer loose	34 – 46	3 05341 1 00000**
Sleek leather soft 1.5 mm	Latex pad loose	√	Narrow, long, top layer loose	34 – 46	3 05341 5 00000**
–	Latex pad	√	Wide, short	24 – 34[1,2] 35 – 48[3]	3 05339 1 00000**

[1] Not a stock item. Please note that a longer delivery time will apply.
[2] Double sizing
[3] Margin sizes. Not a stock item. Please note that a longer delivery time will apply.

GloboTec® Starflex®

CORE AND TOP COVER, LATEX PAD

TOP COVER	PAD	VERSION	SIZE (**)	ITEM NUMBER
Sleek leather soft perforated 1.25 mm	Latex pad	Wide, short	24 – 34[2] 35 – 48	3 05431 1 00000**
Sleek leather soft perforated 1.25 mm	Latex pad	Wide, long	24 – 34[1,2] 35 – 48[3]	3 05431 5 00000**
Sleek leather soft perforated 1.25 mm	Latex pad	Narrow, short	34 – 46	3 05441 1 00000**
Sleek leather soft perforated 1.25 mm	Latex pad	Narrow, long	34 – 46[3]	3 05441 5 00000**

OPEN AT THE FRONT

TOP COVER	CUSHION LAYER	PAD	VERSION	SIZE (**)	ITEM NUMBER
Microfiber beige	Globofit beige 2 mm (12° Shore A)	Latex pad	Wide, long, open at the front	24 – 34[1,2] 35 – 48[3]	3 05931 5 01400**
Microfiber beige	Globofit beige 2 mm (12° Shore A)	Latex pad	Narrow, long, open at the front	34 – 46[3]	3 05941 5 01400**

CHILDREN'S FOOT ORTHOSES

TOP COVER	PAD	VERSION	SIZE (**)	ITEM NUMBER
–	–	Wide, loose core	24 – 34[2]	3 05130 1 00000**
–	Metatarsal pad	Wide, loose core	22 – 34[2]	3 05131 1 00000**
Sleek leather soft 1.5 mm	Latex pad loose	Wide, short, top layer loose	24 – 34[2]	3 05331 1 00000**
Sleek leather soft 1.5 mm	Latex pad loose	Wide, long, top layer loose	24 – 34[2]	3 05331 5 00000**
Sleek leather soft perforated 1.25 mm	Latex pad	Wide, short	24 – 34[2]	3 05431 1 00000**

[1] Not a stock item. Please note that a longer delivery time will apply.
[2] Double sizing
[3] Margin sizes. Not a stock item. Please note that a longer delivery time will apply.

GloboTec® Junior

ITEM NUMBER:
3 10805 1 00000**

USES/INDICATIONS

- Correction and/or arch support for pediatric flat feet with excessive hindfoot pronation
- Efficient, modern product that is easy to adapt
- Suitable for a wide range of children's shoes

FEATURES

- Injection-molded orthotic core with cushion layer
- Thin materials; ¾-length version
- Very thin and flexible edges
- High, stabilizing heel cup

INFORMATION

MANUFACTURING/MODIFICATIONS

- Requires little modification; usually only needs to be shaped to fit the shoes
- Partial thermoplastic molding possible (hot air blower, 120 °C, 20–30 sec.)

CLEANING/CARE

- Surfaces can be wiped clean using a mild cleanser and a sponge
- Not machine-washable
- Do not expose to direct heat (central heating, direct sunlight)
- We recommend that the functional properties of the foot orthosis are checked after 6 months of use.

GloboTec® Junior

TOP COVER	CUSHION LAYER	PAD	VERSION	SIZE (**)	ITEM NUMBER
Microfiber blue	TPE cushion	–	¾ long, high heel cup	22–40[2]	3 10805 1 00000**

[2] Double sizing

GloboTec® Isoflex

ITEM NUMBER
3 19631 5 00000**

USES/INDICATIONS

- For supporting flattened or slightly raised foot arches
- Suitable for people with a normal body weight

FEATURES

- Injection-molded orthotic core
- Thin materials, available in long-sole and short-sole versions
- Thin heel and edges, some models feature a stabilizing heel cup
- Thermo-formable

INFORMATION

MANUFACTURING/MODIFICATIONS

- Partial and complete thermoplastic molding of the core possible (hot air blower or oven, 100–120 °C, 30–60 sec. for partial thermoforming, approx. 2–3 min. for complete thermoforming)
- Easy to grind (grinding belt, grit 60–100, polishing brush on the blade disk)
- Can be bonded to other materials (standard workshop adhesives)

CLEANING/CARE

- The surfaces can be wiped clean using a mild cleanser and a sponge (except leather top covers).
- Not machine-washable
- Do not expose to direct heat (central heating, direct sunlight)
- We recommend that the functional properties of the foot orthosis are checked after 6 months of use.

SHORT

BOTTOM COATING	PAD	VERSION	SIZE (**)	ITEM NUMBER
Fleece	–	Wide, short, core covered	24 – 34[1,2] 35 – 48	3 19231 1 00000**
Fleece	–	Wide, short, core visible	20 – 34[1,2] 35 – 48	3 19531 1 00000**
Fleece	–	Narrow, short, core visible	35 – 47	3 19541 1 00000**

WITH THERMAL REINFORCEMENT IN THE HEEL AREA*

TOP COVER	PAD	VERSION	SIZE (**)	ITEM NUMBER
Sleek leather semi-firm, 2 mm	Latex pad	Wide, short, thermal reinforcement heel	20 – 34[2] 35 – 48	3 19151 1 00000**
Sleek leather semi-firm, 2 mm	Latex pad	Wide, short, thermal reinforcement heel	20 – 34[2] 35 – 48	3 19631 1 00000**
Sleek leather semi-firm, 2 mm	Latex pad	Wide, long, thermal reinforcement heel	20 – 34[2] 35 – 48	3 19631 5 00000**

* also available as children's foot orthosis

[1] Not a stock item. Please note that a longer delivery time will apply.
[2] Double sizing

GloboTec® Plastic/Leather (Active)

ITEM NUMBER
3 10795 5 00000**

USES/INDICATIONS

- Correction and/or arch support for pediatric flat feet with excessive hindfoot pronation
- Exceptionally stable material; also suitable for people with higher body weights and more significant deformities
- Suitable for a wide range of children's shoes

FEATURES

- Synthetic orthotic core
- Long and short-sole versions
- Thin heel and edges, with a stabilizing heel cup
- Loose supination wedges included

INFORMATION

MANUFACTURING/MODIFICATIONS

- Partial and complete thermoplastic molding of the core possible (hot air blower or oven, 120–130 °C, approx. 30 sec. for partial thermoforming, approx. 2–3 min. for complete thermoforming.)
- Easy to grind (grinding belt, grit 40–100, polishing brush on the blade disk)
- Can be bonded to other materials (standard workshop adhesives)

CLEANING/CARE

- Surfaces can be wiped clean using a mild cleanser and a sponge
- Not machine-washable
- Do not expose to direct heat (central heating, direct sunlight)
- We recommend that the functional properties of the foot orthosis are checked after 6 months of use.

GloboTec® Plastic/Leather (Active)



TOP COVER	CUSHION LAYER	PAD	BOTTOM COATING	VERSION	SIZE (**)	ITEM NUMBER
Microfiber blue (animal tracks)	–	Metatarsal pad from size 36	Fleece	Short, high heel cup, loose supination wedges	20 – 42[2]	3 10790 1 00000**
–	Lunasoft (four-colored) 2 mm (40° Shore A)	Metatarsal pad from size 36	Fleece	Short, high heel cup, loose supination wedges	20 – 42[2]	3 10795 1 00000**
–	Lunasoft (four-colored) 2 mm (40° Shore A)	Metatarsal pad from size 36	Fleece	Long, high heel cup, loose supination wedges	20 – 42[2]	3 10795 5 00000**

[2] Double sizing

GloboTec® Globoplast

ITEM NUMBER
3 07973 1 00000**

USES/INDICATIONS

- For supporting flattened foot arches and non-surgical treatment of pigeon toe (metatarsus varus)
- Exceptionally stable material; also suitable for people with higher body weights and more significant deformities

FEATURES

- Synthetic orthotic core
- With a stabilizing heel cup

INFORMATION

MANUFACTURING/MODIFICATIONS

- Partial and complete thermoplastic molding of the core possible (hot air blower or oven, 100–180 °C, approx. 60 sec. for partial thermoforming, approx. 4–6 min. for complete thermoforming)
- Easy to grind (grinding belt, grit 24–100, polishing brush on the blade disk)
- Can be bonded to other materials (standard workshop adhesives)

CLEANING/CARE

- The surfaces can be wiped clean using a mild cleanser and a sponge (except leather top covers).
- Not machine-washable
- Do not expose to direct heat (central heating, direct sunlight)
- We recommend that the functional properties of the foot orthosis are checked after 6 months of use.

GloboTec® Globoplast

TOP COVER	PAD	VERSION	SIZE (**)	ITEM NUMBER
–	Metatarsal pad from size 36	¾ long, high heel cup, big toe strap	20 – 34[2] 36 – 46[2,3]	3 07973 1 00000**

[2] Double sizing
[3] Margin sizes. Not a stock item. Please note that a longer delivery time will apply.

SOFT FOAM FOOT ORTHOSES FOR PRESSURE-SENSITIVE FEET

TRIactive®

FOOT ORTHOSES FOR LEISURE AND SPORT



ITEM NUMBER
3 24150 5 00000**

Serrations

Vertical interlocking

1 **GUIDANCE**
Firm zone: guides the heel perfectly when treading and actively initiates the step

2 **CUSHIONING**
Soft zone: cushions impacts in sensitive areas of the foot

3 **SUPPORT**
Medium firm zone: relieves the foot and ensures ideal body posture





USES/INDICATIONS

- Intelligent soft foam orthotic blank for providing sport-specific support and cushioning
- Suitable for running, indoor and ball sports, golf, walking, hiking and spending long periods standing
- Suitable for sports, hiking and comfort shoes

FEATURES

- Vertical construction with three different materials
- Patented three-dimensional, non-irritating connections between the materials
- Adequate orthopedic support for the foot arches
- Can be adapted to suit a wide range of foot proportions and shoe shapes
- Function clearly shown in the design, to help achieve a successful sales pitch

INFORMATION

MANUFACTURING/MODIFICATIONS

- Must be ground (foot orthosis shape at the sides and foot orthosis thickness)
- Easy to grind (grinding belt, grit 40–100, polishing brush on the blade disk)
- Easy to bond (standard workshop adhesives)
- Partial thermoplastic molding possible (hot air blower, up to 120 °C, 20–30 sec.)
- A top cover, e.g. microfiber, is recommended for the mechanical protection of the EVA material.

CLEANING/CARE

- The surfaces can be wiped clean using a mild cleanser and a sponge (except leather top covers).
- Not machine-washable
- Do not expose to direct heat (central heating, direct sunlight)
- We recommend that the functional properties of the foot orthosis are checked after 6 months of use.

MODELS

DESCRIPTION	CUSHION LAYER	METATARSAL PAD	VERSION	SIZE (**)	ITEM NUMBER	
walk	PowerWave® walk 6 mm	√	Long, thermal reinforcement	35–50	3 24100 5 00000**	
play	PowerWave® play 6 mm	√	Long, thermal reinforcement	35–50	3 24150 5 00000**	
run	PowerWave® run 6 mm	√	Long, thermal reinforcement	35–50	3 24250 5 00000**	
run	PowerWave® run 6 mm	√	Long, thermal reinforcement, comfort shoe shape, low arch support	35–50	3 24300 5 80000**	
golf	PowerWave® golf 6 mm	√	Long, thermal reinforcement	35–50	3 24400 5 00000**	
Top cover microfiber ice-blue	–	–	Long	36–50[2]	3 16900 5 01405**	

[2] Double sizing

ErgoPad® Soft

ITEM NUMBER
3 79535 5 10001 (firm)
3 79534 5 10001 (soft)

USES/INDICATIONS

- PU foam orthotic blank for functional cushioning and support
- For treatment of various foot deformities
- Suitable for leisure activities as well as for treating pressure-sensitive feet
- For leisure and comfort shoes

FEATURES

- Exceptionally lightweight polyurethane foam
- The material's ability to retain its shape ensures consistent cushioning without permanent deformation
- Two density levels available – soft und firm
- Thermo-formable reinforcement element
- Perfect combination of comfortable cushioning and stabilization
- Conically contoured on the shoe side, making it easier to adapt the blank to the shape of the shoe
- The marked structure on the underside of the foot orthosis makes it quick and easy to grind.
- The foot orthosis can be modified according to customer's requirements (the height of the outer or inner edge can be increased, differences in leg lengths can be evened out, and targeted pressure relief can be applied to the forefoot).

INFORMATION

MANUFACTURING/MODIFICATIONS

- Belt grinding (grit 40–100), polishing brush on the blade disk
- When modifying the version without a top cover, we recommend that you apply a top cover, e.g. made from microfiber or leather.
- Easy to bond (standard workshop adhesives)
- Thermo-formable
  (hot air blower: up to 120 °C or oven at around 90 °C, 5 min.)

CLEANING/CARE

- A sponge can be used to wipe the microfiber top cover with a mild detergent, then rinse well.
- Not machine-washable
- Do not expose to direct heat
  (central heating, direct sunlight)
- Absorption of moisture: In comparison to EVA materials, PU foams absorb more moisture. It is therefore recommended to remove the foot orthoses from the shoes daily to release the moisture.
- We recommend that the functional properties of the foot orthosis are checked after 6 months of use.

ErgoPad® Soft DESIGN IN DETAIL

1. **SLIGHT HEEL CUP**
2. **MICROFIBER TOP COVER** (available with or without top cover)
3. **TEAR-SHAPED PAD**
4. **REINFORCEMENT ELEMENT** (thermo-formable)
5. **CUSHIONING LAYER** made of lightweight, viscoelastic PU soft foam Vepur



ErgoPad® Soft

TOP COVER	PAD	VERSION	SIZE (**)	ITEM NUMBER
Microfiber anthracite	√	Wide, firm, long	35–48	3 79535 5 10001**
–	√	Wide, firm, long	35–48	3 79535 5 10000**
Microfiber anthracite	√	Wide, soft, long	35–48	3 79534 5 10001**
–	√	Wide, soft, long	35–48	3 79534 5 10000**

ErgoPad® system:s

ITEM NUMBER
3 28050 5 35850**

USES/INDICATIONS

- ErgoPad® system:s offers a special base layer for every common foot misalignment:
- Base layer A: Mild arch decreased/splay foot
- Base layer B: Mild arch decreased foot
- Base layer C: Pronounced (valgus) arch decreased/splay foot
- Base layer D: Pronounced (valgus) arch decreased/splay foot with chronic heel and ankle pain
- Base layer E: Mild to moderate pes cavus/high arched foot

FEATURES

- Base layer versions A–E
- Available in both unbonded and bonded versions
- Three different top layer groups:
  - Basic (cushion layer only)
  - Standard (cushion layer and top cover)
  - Pro (high-quality cushion layer or cushion layer/top cover combinations)
- Available as series products in a standard shoe shape

INFORMATION

MANUFACTURING/MODIFICATIONS

- Requires little modification
- Easy to grind (grinding belt, grit 40–100, polishing brush on the blade disk)
- Easy to bond (standard workshop adhesives)
- Thermoforming possible at approx. 80–100 °C, for approx. 30 sec.
- Attention: Material shrinkage possible!

CLEANING/CARE

- The surfaces can be wiped clean using a mild cleanser and a sponge and/or a suitable disinfectant (except leather top covers).
- Do not expose to direct heat (central heating, direct sunlight)
- We recommend that the functional properties of the foot orthosis are checked after 6 months of use.

ErgoPad® system:s DESIGN IN DETAIL

CUSHION LAYER/TOP COVER OPTIONS

BASIC
Selection of EVA/PE cushion layers without top cover

STANDARD
Selection of EVA/PE cushion layers combined with top cover materials



PRO
Selection of special cushion layers that can be combined with various top cover materials



BASE LAYER

PRO POWERDOTS CUSHION LAYER*
The (modifiable) top layer, which has a proprioceptive effect, stimulates the muscles on the sole of the foot and improves coordination, balance and muscular stability if worn daily.

1. **LATERAL HINDFOOT SPOT**
2. **MEDIAL HINDFOOT SPOT**
3. **LATERAL MIDFOOT SPOT**
4. **LITTLE TOE BED**
5. **BASE LAYER B**

* Available in bonded version with base layer B or in a loose version

ErgoPad® system:s

LOOSE BASE LAYERS

DESCRIPTION	PAD	VERSION	SIZE (**)	ITEM NUMBER
Type A	Flat, anatomical	Long, thermal reinforcement, mild arch decreased/splay foot	35 – 50	3 28050 5 05640**
Type B	–	Long, thermal reinforcement, mild arch decreased foot	35 – 50	3 28050 5 05650**
Type C	Anatomical	Long, thermal reinforcement, pronounced (valgus) arch decreased/splay foot	35 – 50	3 28050 5 05660**
Type D	Anatomical	Long, thermal reinforcement, pronounced (valgus) arch decreased/splay foot with chronic heel and ankle pain	35 – 50	3 28050 5 05670**
Type E	Anatomical	Long, thermal reinforcement, mild to moderate pes cavus/high arched foot	35 – 50	3 28050 5 05680**

BONDED VERSIONS, LONG, WITH THERMAL REINFORCEMENT

DESCRIPTION	TOP COVER	CUSHION LAYER	PAD	VERSION	SIZE (**)	ITEM NUMBER
Base layer type A	Microfiber gray	TECfom light azure blue 3 mm (25° Shore A)	–	Long, thermal reinforcement	35 – 50	3 28050 5 35806**
Base layer type B	–	PowerDots pistachio 3 mm	Midfoot spot	Long, thermal reinforcement	35 – 48	3 28050 5 35850**
Base layer type C	–	TECfom light azure blue 3 mm (25° Shore A)	–	Long, thermal reinforcement	35 – 50	3 28050 5 35860**
Base layer type C	–	TECtop silver-gray perforated 3 mm (30° Shore A)	–	Long, thermal reinforcement	35 – 50	3 28050 5 35864**
Base layer type C	Microfiber gray	TECfom light azure blue 3 mm (25° Shore A)	–	Long, thermal reinforcement	35 – 50	3 28050 5 35866**
Base layer type C	Microfiber brown	TECfom light azure blue 3 mm (25° Shore A)	–	Long, thermal reinforcement	35 – 50	3 28050 5 35868**
Base layer type C	Microfiber gray	Globofit blue 3 mm (12° Shore A)	–	Long, thermal reinforcement	35 – 50	3 28050 5 35878**
Base layer type E	Microfiber brown	TECmoll silver-gray 3 mm (35° Shore A)	–	Long, thermal reinforcement	35 – 50	3 28050 5 35932**

LOOSE TOP LAYERS (FOR STANDARD AND COMFORT SHOE SHAPE)

TOP COVER	CUSHION LAYER	PAD	VERSION	SIZE (**)	ITEM NUMBER
–	TECfom light azure blue 3 mm (25° Shore A)	–	Long, thermal reinforcement	35–50	3 28905 5 02177**
Microfiber gray	TECfom light azure blue 3 mm (25° Shore A)	–	Long, thermal reinforcement	35–50	3 28905 5 22051**
–	PowerDots pistachio 3 mm	–	Long, thermal reinforcement	35–50	3 68905 5 02562**

More items and sizes are available as custom-made solutions.
Please contact the relevant field sales representative or call the service hotline number 0800-0010530.

GloboTec® Soft

GloboTec® Soft
Microfiber soft cushion blank

ITEM NUMBER
3 22770 5 01400**

USES/INDICATIONS

- Soft foam orthotic blank for functional cushioning and relief
- For treatment of various foot deformities
- Depending on the cushion layer/base layer combination, suitable e.g. for sport and leisure activities, treating pressure-sensitive feet and in the case of diabetic foot syndrome or rheumatoid foot deformities
- For leisure and comfort shoes

FEATURES

- Adequate orthopedic support for the foot arches
- Can be adapted to suit a wide range of foot proportions and shoe shapes
- Base layer and cushion layers available in different density levels
- Physiologically safe materials

INFORMATION

MANUFACTURING/MODIFICATIONS

- Must be ground (foot orthosis shape at the sides and foot orthosis thickness)
- Easy to grind (grinding belt, grit 40–100, polishing brush on the blade disk)
- Easy to bond (standard workshop adhesives)
- Partial and complete thermoplastic molding possible (hot air blower or oven, 120 °C, approx. 20–30 sec. for partial thermoforming, approx. 2 min. for complete thermoforming)
- Attention: Material shrinkage possible!

CLEANING/CARE

- The surfaces can be wiped clean using a mild cleanser and a sponge (except leather top covers).
- Not machine-washable
- Do not expose to direct heat (central heating, direct sunlight)
- We recommend that the functional properties of the foot orthosis are checked after 6 months of use.

GloboTec® Soft DESIGN IN DETAIL

1. TOP COVER
2. CUSHION LAYER
3. PAD
4. THERMOPLASTIC REINFORCEMENT
5. BASE LAYER



COMBINED SOFT FOAM BLANKS, TECtop/Allegro (30/55° Shore A)

TOP COVER	CUSHION LAYER	METATARSAL PAD	VERSION	SIZE (**)	ITEM NUMBER
–	TECtop blue perforated 4 mm	√	Wide, long, thermal reinforcement	35 – 42	3 24662 5 02122**
–	TECtop red perforated 4 mm	√	Wide, long, thermal reinforcement	35 – 42	3 24662 5 02132**
–	TECtop blue perforated 4 mm	√	Wide, long, thermal reinforcement, square shape	38 – 48	3 24663 5 02122**
–	TECtop red perforated 4 mm	√	Wide, long, thermal reinforcement, square shape	38 – 48	3 24663 5 02132**
–	TECtop blue perforated 4 mm	√	Narrow, long, thermal reinforcement, square shape	35 – 42[3]	3 50552 5 80000**
–	TECtop blue perforated 4 mm	√	Wide, long, thermal reinforcement, square shape	35 – 48[3]	3 50553 5 80000**

[3] Margin sizes. Not a stock item. Please note that a longer delivery time will apply.

GloboTec® Soft

COMBINED SOFT FOAM BLANKS, TECtop/TEClast (30/45° Shore A)

TOP COVER	CUSHION LAYER	METATARSAL PAD	VERSION	SIZE (**)	ITEM NUMBER
–	TECtop blue perforated 4 mm	√	Wide, long	20 – 34[2] 35 – 50[3]	3 21550 5 02122**
–	TECtop brown perforated 4 mm	√	Wide, long	35 – 48[1]	3 21550 5 02152**
–	TECtop blue perforated 4 mm	√	Wide, long, thermal reinforcement	20 – 34[1,2] 35 – 50[3]	3 21550 5 11266**
–	TECtop blue perforated 4 mm	√	Wide, long	35 – 48	3 22850 5 02122**

COMBINED SOFT FOAM BLANKS, TECfom/TECmoll (25/35° Shore A)

TOP COVER	CUSHION LAYER	METATARSAL PAD	VERSION	SIZE (**)	ITEM NUMBER
–	TECfom white 6 mm	√	Wide, long	20 – 34[2] 35 – 50[3]	3 20550 5 00000**
Calfskin perforated	TECfom white 6 mm	√	Wide, long	20 – 34[2] 35 – 50[3]	3 20650 5 00000**
Microfiber beige	TECfom white 6 mm	√	Wide, long	20 – 34[1,2] 35 – 50[3]	3 20650 5 01400**
–	TECfom blue 6 mm	√	Wide, long	20 – 34[2] 35 – 48	3 20850 5 00000**
Calfskin perforated	TECfom blue 6 mm	√	Wide, long	20 – 34[1,2] 35 – 48	3 20950 5 00000*
Microfiber blue	TECfom blue 6 mm	√	Wide, long	20 – 34[1,2] 35 – 48[3]	3 20950 5 01401**

COMBINED SOFT FOAM BLANKS, Poron + TECfom/TEClast (2DS/45° Shore A)

TOP COVER	CUSHION LAYER	METATARSAL PAD	VERSION	SIZE (**)	ITEM NUMBER
–	Poron salmon pink 3 mm + TECfom blue 3 mm	√	Long, comfort shoe shape	35 – 48	3 21500 5 02296**
–	Poron salmon pink 3 mm + TECfom blue 3 mm	√	Wide, long	26 – 34[1,2] 35 – 50[3]	3 21550 5 02296**

[1] Not a stock item. Please note that a longer delivery time will apply.
[2] Double sizing
[3] Margin sizes. Not a stock item. Please note that a longer delivery time will apply.

COMBINED SOFT FOAM BLANKS, TECmoll/TEClast (35/45° Shore A)

TOP COVER	CUSHION LAYER	METATARSAL PAD	VERSION	SIZE (**)	ITEM NUMBER
–	TECmoll blue 6 mm	√	Long, comfort shoe shape	35 – 48	3 21800 5 00000**
–	TECmoll blue 6 mm	√	Wide, long	20 – 34[2] 35 – 50[3]	3 21850 5 00000**
–	TECmoll blue 6 mm	–	Wide, long	20 – 34[2,3] 35 – 48	3 21850 5 00350**
Calfskin perforated	TECmoll blue 6 mm	√	Wide, long	20 – 34[1,2] 35 – 50[3]	3 21950 5 00000**
Microfiber Blue	TECmoll blue 6 mm	√	Wide, long	20 – 34[1,2] 35 – 50[3]	3 21950 5 01401**
–	TECmoll white 6 mm	√	Long, comfort shoe shape	35 – 48	3 21500 5 00000**
–	TECmoll white 6 mm	√	Wide, long	20 – 34[2] 35 – 50[3]	3 21550 5 00000**
–	TECmoll white 6 mm	–	Wide, long, thermal reinforcement	35 – 50	3 21550 5 00350**
–	TECmoll white 6 mm	√	Wide, long, thermal reinforcement	35 – 50[3]	3 21550 5 04722**
–	TECmoll white 6 mm	√ from size 35	Wide, long, heel cup	20 – 34[2] 35 – 48	3 21570 5 00000**
Calfskin perforated	TECmoll white 6 mm	√	Long, comfort shoe shape	35 – 48	3 21600 5 00000**
Microfiber beige	TECmoll white 6 mm	√	Long, comfort shoe shape	35 – 48	3 21600 5 01400**
Calfskin perforated	TECmoll white 6 mm	√	Wide, long	20 – 34[2,3] 35 – 50	3 21650 5 00000**
Microfiber beige	TECmoll white 6 mm	√	Wide, long	20 – 32[1,2] 34 – 48	3 21650 5 01400**
Microfiber blue	TECmoll white 6 mm	√	Wide, long	20 – 34[1,2] 35 – 48	3 21650 5 01401**
Calfskin perforated	TECmoll white 6 mm	√	Wide, long, thermal reinforcement	20 – 34[1,2] 35 – 46	3 21650 5 04722**
Microfiber beige	TECmoll white 6 mm	√	Wide, long, thermal reinforcement	20 – 34[1,2] 35 – 49[3]	3 21650 5 11277**

[1] Not a stock item. Please note that a longer delivery time will apply.
[2] Double sizing
[3] Margin sizes. Not a stock item. Please note that a longer delivery time will apply.

GloboTec® Soft

SOFT FOAM BLANKS TECsoft/TECsoft (25/25° Shore A)

TOP COVER	CUSHION LAYER	PAD	VERSION	SIZE (**)	ITEM NUMBER
–	TECsoft gray 5 mm	Latex pad	Wide, long, thermal reinforcement	35 – 48	3 20230 5 00000**
–	TECsoft gray 5 mm	Latex pad	Wide, long, thermal reinforcement	24 – 34[2] 35 – 50[3]	3 20250 5 00000**
Calfskin perforated	TECsoft gray 5 mm	Latex pad	Wide, long, thermal reinforcement	35 – 48	3 20330 5 00000**
–	TECsoft white 5 mm	Without	Wide, long, thermal reinforcement	35 – 48	3 20230 5 03999**
Calfskin perforated	TECsoft gray 5 mm	Latex pad	Wide, long, thermal reinforcement	24 – 34[2] 35 – 50	3 20350 5 00000**
Microfiber beige	TECsoft gray 5 mm	Latex pad	Wide, long, thermal reinforcement	24 – 32[1,2] 35 – 49[3]	3 20350 5 01400**
Calfskin perforated	TECsoft white 3 mm	Latex pad	Wide, long, thermal reinforcement	26 – 34[2] 35 – 49	3 20530 5 00000**
–	TECsoft gray 5 mm	Latex pad	Wide, long, thermal reinforcement	35 – 42[3]	3 24702 5 00000**
–	TECsoft gray 5 mm	Metatarsal pad	Wide, long, thermal reinforcement, square shape	38 – 48[3]	3 24703 5 00000**
Goatskin 0.8 mm	TECsoft gray 5 mm	Metatarsal pad	Wide, long, thermal reinforcement, square shape	35 – 42[3]	3 24712 5 00000**
Goatskin 0.8 mm	TECsoft gray 5 mm	Metatarsal pad	Wide, long, thermal reinforcement	35 – 48[3]	3 24713 5 00000**

OTHER SOFT FOAM BLANKS

DESCRIPTION	TOP COVER	CUSHION LAYER	METATARSAL PAD	VERSION	SIZE (**)	ITEM NUMBER
TEClast/TEClast (45/45° Shore A)	–	TEClast white 6 mm	√	Wide, long	20 – 34[2] 35 – 48	3 21250 5 00000**
TECfom/Allegro (25/55° Shore A)	–	TECfom white 6 mm	√	Long, comfort shoe shape, thermal reinforcement	35 – 40	3 24612 5 01999**

[1] Not a stock item. Please note that a longer delivery time will apply.
[2] Double sizing
[3] Margin sizes. Not a stock item. Please note that a longer delivery time will apply.

SOFT FOAM BLANKS
Globoflex/TEClast (10/45° Shore A), two cushion layers GloboFlex (PU top/PE base)

TOP COVER	METATARSAL PAD	VERSION	SIZE (**)	ITEM NUMBER
–	√	Long, thermal reinforcement, comfort shoe shape	35 – 48	3 22700 5 00000**
–	√	Long, thermal reinforcement, comfort shoe shape	35 – 48	3 22710 5 00000**
Microfiber beige	√	Long, thermal reinforcement, comfort shoe shape	35 – 48	3 22720 5 01400**
Microfiber blue	√	Long, thermal reinforcement, comfort shoe shape	35-48[1]	3 22720 5 01401**
–	√	Wide, long, thermal reinforcement	20 – 34[2,3] 35 – 48	3 22750 5 00000**
Microfiber beige	√	Wide, long, thermal reinforcement	20 – 34[1,2] 35 – 50	3 22770 5 01400**
Microfiber blue	√	Wide, long, thermal reinforcement	20 – 34[1,2] 35 – 50[3]	3 22770 5 01401**

SOFT FOAM BLANKS WITH DETORSION CUT, TECtop/TECtop (30/30° Shore A)

TOP COVER	CUSHION LAYER	METATARSAL PAD	VERSION	SIZE (**)	ITEM NUMBER
–	TECtop white 6 mm	√	Wide, long, thermal reinforcement, square shape	35 – 42	3 24742 5 00000**
–	TECtop white 6 mm	√	Wide, long, thermal reinforcement, square shape	36 – 48[2]	3 24743 5 00000**

SOFT FOAM BLANKS WITH DETORSION CUT, TECtop/TEClast (30/45° Shore A)

TOP COVER	CUSHION LAYER	METATARSAL PAD	VERSION	SIZE (**)	ITEM NUMBER
–	TECtop white 6 mm	√	Wide, long, square shape	35 – 42	3 24762 5 00000**
–	TECtop white 6 mm	√	Wide, long, square shape	38 – 48	3 24763 5 00000**

[1] Not a stock item. Please note that a longer delivery time will apply.
[2] Double sizing
[3] Margin sizes. Not a stock item. Please note that a longer delivery time will apply.

GloboTec® Soft

SOFT FOAM BLANKS Globofit/TEClast (12/45° Shore A)

TOP COVER	CUSHION LAYER	PAD	VERSION	SIZE (**)	ITEM NUMBER
Calfskin perforated	Globofit beige 3 mm	Latex pad	Wide, long	20 – 34[1,2] 35 – 48	3 22650 5 00000**
Calfskin perforated	Globofit beige 3 mm	Latex pad	Wide, long, thermal reinforcement	20 – 34[1,2] 35 – 48	3 22650 5 04722**

CUSHIONING SOFT FOAM BLANKS, single layer, TECfom (25° Shore A)

TOP COVER	METATARSAL PAD	VERSION	SIZE (**)	ITEM NUMBER
–	√	Narrow, long	35 – 48	3 22030 5 00000**
–	√	Wide, long	34 – 48	3 22050 5 00000**
Calfskin perforated	√	Wide, long	35 – 48	3 22130 5 00000**
Calfskin perforated	√	Wide, long	34 – 48	3 22150 5 00000**
Microfiber beige	√	Wide, long	34 – 48[3]	3 22150 5 01400**

CUSHIONING SOFT FOAM BLANKS, single layer, TECmoll (35° Shore A)

TOP COVER	METATARSAL PAD	VERSION	SIZE (**)	ITEM NUMBER
–	√	Long, comfort shoe shape	35 – 48	3 22200 5 00000**
–	√	Wide, long	20 – 34[1,2] 35 – 48	3 22250 5 00000**
–	–	Wide, long	35 – 48[1]	3 22250 5 00350**
–	√ from size 35	Wide, long, heel cup	20 – 34[2] 35 – 48	3 22270 5 00000**

[1] Not a stock item. Please note that a longer delivery time will apply.
[2] Double sizing
[3] Margin sizes. Not a stock item. Please note that a longer delivery time will apply.

SOFT FOAM BLANKS WITH THERMAL CORK BASE LAYER, TECtop/thermal cork (30/50° Shore A)

TOP COVER	CUSHION LAYER	METATARSAL PAD	BASE LAYER	VERSION	SIZE (**)	ITEM NUMBER
–	TECtop blue perforated 4 mm	√	Thermal cork	Wide, long	24 – 32[1,2] 34 – 48	3 58650 5 00000**
–	TECtop blue perforated 4 mm	√	Thermal cork	Narrow, long, thermal reinforcement	24 – 34[1,2] 34 – 50[1]	3 58650 5 04722**
–	TECtop blue perforated 4 mm	√	Thermal cork	Wide, long, thermal reinforcement	38 – 48[1]	3 58680 5 04722**
–	TECtop blue perforated 4 mm	√ from size 36	Thermal cork	Wide, long, thermal reinforcement, high heel cup	20 – 34[2] 36 – 48[2,3]	3 58890 5 00000**

SOFT FOAM BLANKS WITH HEEL CUP



DESCRIPTION	TOP COVER	CUSHION LAYER	METATARSAL PAD	VERSION	SIZE (**)	ITEM NUMBER
TEClast/TEClast (45/45° Shore A)	–	TEClast white 6 mm	√ from size 35	Wide, long, heel cup	20-34[2] 35-48	3 21270 5 00000**
TECtop/TEClast (30/45° Shore A)	–	TECtop blue perforated 4 mm	√ from size 36	Wide, long, high heel cup	20-34[2] 36-46[2]	3 21890 5 00000**
Lunasoft/Allegro (40/55° Shore A)	–	Lunasoft (four-colored) 3 mm	–	Wide, short, high heel cup	20-34[1,2] 36-40[1,2]	3 24681 1 00000**
Lunasoft/Allegro (40/55° Shore A)	–	Lunasoft (four-colored) 3 mm	–	Wide, long, high heel cup	20-34[2] 36-40[2]	3 24681 5 00000**

SUPPORTING SOFT FOAM BLANKS Allegro/Allegro (55/55° Shore A)

TOP COVER	CUSHION LAYER	METATARSAL PAD	VERSION	SIZE (**)	ITEM NUMBER
–	Allegro brown 6 mm	√	Wide, long	35 – 42	3 24772 5 00000**
–	Allegro brown 6 mm	√	Wide, long, square shape	38 – 48	3 24773 5 00000**

[1] Not a stock item. Please note that a longer delivery time will apply.
[2] Double sizing
[3] Margin sizes. Not a stock item. Please note that a longer delivery time will apply.

GloboTec® Soft

BERKOSOFT VARIO

TOP COVER	CUSHION LAYER	PAD	BASE LAYER	VERSION	SIZE (**)	ITEM NUMBER
–	–	–	EVA soft foam blue 1791	Wide, short, semi-firm	36 – 40[2]	3 24912 1 00000**
–	–	–	EVA soft foam blue 1791	Wide, short, semi-firm	42 – 48[2]	3 24913 1 00000**
–	–	–	EVA soft foam green 1792	Wide, short, soft	36 – 40[2]	3 24922 1 00000**
–	–	–	EVA soft foam green 1792	Wide, short, soft	42 – 48[2]	3 24923 1 00000**
–	–	–	Thermal cork 1793	Wide, short, firm	36 – 40[2]	3 24932 1 00000**
–	–	–	Thermal cork 1793	Wide, short, firm	42 – 48[2]	3 24933 1 00000**
Fabric colored	PE cushion layer 1796	–	–	Wide, long, very soft	36 – 40[2]	3 24962 5 00000**
Fabric colored	PE cushion layer 1796	–	–	Wide, long, very soft	42 – 48[2]	3 24963 5 00000**
Fabric colored	PE cushion layer 1796	–	–	Wide, long, very soft	36 – 40[2]	3 24972 5 00000**
Fabric colored	PE cushion layer 1796	–	–	Wide, long, very soft	42 – 48[2]	3 24973 5 00000**
–	EVA cushion layer yellow 1798	–	–	Wide, long, soft	36 – 40[2]	3 24982 5 00000**
Microfiber	EVA cushion layer yellow 1798	–	–	Wide, long, soft	36 – 40[2]	3 24982 5 01220**
–	EVA cushion layer yellow 1798	–	–	Wide, long, soft	42 – 48[2]	3 24983 5 00000**
Microfiber	EVA cushion layer yellow 1798	–	–	Wide, long, soft	42 – 48[2]	3 24983 5 01220**
–	EVA cushion layer blue 1799	–	–	Wide, long, soft	36 – 40[2]	3 24992 5 00000**
Microfiber	EVA cushion layer blue 1799	–	–	Wide, long, soft	36 – 40[2]	3 24992 5 01220**
–	EVA cushion layer blue 1799	–	–	Wide, long, soft	42 – 48[2]	3 24993 5 00000**
Microfiber	EVA cushion layer blue 1799	–	–	Wide, long, soft	42 – 48[2]	3 24993 5 01220**

[2] Double sizing

SOFT FOAM BLANKS FOR CHILDREN



DESCRIPTION	TOP COVER	CUSHION LAYER	PAD	VERSION	SIZE (**)	ITEM NUMBER
TECsoft/TECsoft (25/25° Shore A)	–	TECsoft gray 5 mm	Latex pad	Wide, long, thermal reinforcement	24 – 34[2]	3 20250 5 00000**
TECsoft/TECsoft (25/25° Shore A)	Calfskin perforated	TECsoft gray 5 mm	Latex pad	Wide, long, thermal reinforcement	24 – 34[2]	3 20350 5 00000**
TECsoft/TECsoft (25/25° Shore A)	Calfskin perforated	TECsoft white 3 mm	Latex pad	Wide, long, thermal reinforcement	26 – 34[2]	3 20530 5 00000**
TECfom/TECmoll (25/35° Shore A)	–	TECfom white 6 mm	Metatarsal pad	Wide, long	20 – 34[2]	3 20550 5 00000**
TECfom/TECmoll (25/35° Shore A)	Calfskin perforated	TECfom white 6 mm	Metatarsal pad	Wide, long	20 – 34[2]	3 20650 5 00000**
TECfom/TECmoll (25/35° Shore A)	–	TECfom blue 6 mm	Metatarsal pad	Wide, long	20 – 34[2]	3 20850 5 00000**
TEClast/TEClast (45/45° Shore A)	–	TEClast white 6 mm	Metatarsal pad	Wide, long	20 – 34[2]	3 21250 5 00000**
TEClast/TEClast (45/45° Shore A)	–	TEClast white 6 mm	–	Wide, long, heel cup	20 – 34[2]	3 21270 5 00000**
TECmoll/TEClast (35/45° Shore A)	–	TECmoll white 6 mm	Metatarsal pad	Wide, long	20 – 34[2]	3 21550 5 00000**
TECtop/TEClast (30/45° Shore A)	–	TECtop blue perforated 4 mm	Metatarsal pad	Wide, long	20 – 34[2]	3 21550 5 02122**
TECmoll/TEClast (35/45° Shore A)	–	TECmoll white 6 mm	–	Wide, long, heel cup	20 – 34[2]	3 21570 5 00000**
TECmoll/TEClast (35/45° Shore A)	Calfskin perforated	TECmoll white 6 mm	Metatarsal pad	Wide, long,	20 – 34[2]	3 21650 5 00000**
TECmoll/TEClast (35/45° Shore A)	–	TECmoll blue 6 mm	Metatarsal pad	Wide, long	20 – 34[2]	3 21850 5 00000**
TECmoll/TEClast (35/45° Shore A)	–	TECmoll blue 6 mm	–	Wide, long	20 – 34[2,3]	3 21850 5 00350**
TECtop/TEClast (30/45° Shore A)	–	TECtop blue perforated 4 mm	–	Wide, long, high heel cup	20 – 34[2]	3 21890 5 00000**
TECmoll (35° Shore A)	–	–	–	Wide, long, heel cup	20 – 34[2]	3 22270 5 00000**
Globoflex/TEClast (10/45° Shore A)	–	Globoflex (PU top, PE base)	Metatarsal pad	Wide, long, thermal reinforcement	26 – 34[2]	3 22750 5 00000**
Lunasoft/Allegro (40/55° Shore A)	–	Lunasoft (four-colored) 3 mm	–	Wide, short, high heel cup	20 – 34[1,2]	3 24681 1 00000**
Lunasoft/Allegro (40/55° Shore A)	–	Lunasoft (four-colored) 3 mm	–	Wide, long, high heel cup	20 – 34[2]	3 24681 5 00000**
Lunasoft/TECtop (40/30° Shore A)	–	Lunasoft (four-colored) 3 mm	–	Wide, long	20 – 34[2]	3 24741 5 02241**
TECtop/thermal cork (30/50° Shore A)	–	TECtop blue perforated 4 mm	–	Wide, long, thermal reinforcement, high heel cup	20 – 34[2]	3 58890 5 00000**

[1] Not a stock item. Please note that a longer delivery time will apply.
[2] Double sizing
[3] Margin sizes. Not a stock item. Please note that a longer delivery time will apply.

GloboTec® Soft Diabetes

SOFT FOAM BLANKS Poron-Kombi/TECmoll/TEClast (3DS/35/45° Shore A)

TOP COVER	CUSHION LAYER	PAD	VERSION	SIZE (**)	ITEM NUMBER
–	Poron-Kombi 7.5 mm	–	Long, comfort shoe shape, thermal reinforcement	35 – 50[3]	3 23800 5 00000**
–	Poron-Kombi 7.5 mm	–	Long, comfort shoe shape, thermal reinforcement, loose cover	35 – 50[3]	3 23800 5 00440**

[3] Margin sizes. Not a stock item. Please note that a longer delivery time will apply.

MILLED FOOT ORTHOSES
PERFECT
CUSTOM-MADE
FOOT CARE

ErgoPad® ID:

ErgoPad® ID:
Trend Dynamic

ITEM NUMBER
3 80020 0 4000000

USES/INDICATIONS

- BODYTRONIC ID:CAM is Bauerfeind's concept for manufacturing precisely milled customized foot orthoses to suit your specific indication and foot care requirements.
- Orthoses are created using an intuitive and free software in three different user profiles.
- Based on blueprint and/or foam imprint scans
- Suitable for comfort and leisure shoes, depending on the configuration of the foot orthosis

FEATURES

- Thanks to the wide variety of material combinations available, a solution can be found for every foot problem.
- The integrated and freely modifiable model and module library helps create your customized milled foot orthosis quickly and efficiently.
- Manufactured using precise CNC milling machines and deliverable/delivered within a short time
- Forefoot and/or heel intarsia (cushions) can be incorporated into the foot orthosis.
- Foot orthoses are also available with a top cover (microfiber/lambskin leather/Lai Porellina).
- Foot orthoses can be further processed by an orthotist and can be delivered pre-ground at the sides.

INFORMATION

MANUFACTURING/MODIFICATIONS

- Must be ground
  (to fit the shoe/side of the foot if required)
- Easy to grind
  (grinding belt, grit 60–100, polishing brush on the blade disk)
- Easy to bond (standard workshop adhesives)
- Partial thermoplastic molding possible
  (hot air blower, up to 120 °C, 20–30 sec.)
- Avoid attempting large-scale thermoforming.
- A top cover, e.g. microfiber, is recommended for the mechanical protection of the soft foam material.

CLEANING/CARE

- The surfaces can be wiped clean using a mild cleanser and a sponge (except leather top covers).
- Not machine-washable
- Do not expose to direct heat
  (central heating, direct sunlight)
- We recommend that the functional properties of the foot orthosis are checked after 6 months of use.

DESCRIPTION	VERSION	SIZE (**)	
Trend	Suitable for all comfort shoes Various EVA combinations possible Optional forefoot and heel cushions	35–50	
Trend Dynamic	Various EVA combinations possible Optional forefoot and heel cushions	35–50	
Style	Suitable for all standard shoes Various EVA combinations possible Optional heel cushion	35–50	
Style dynamic	Suitable for all standard shoes Various EVA combinations possible Optional heel cushion	35–50	
Toy	2 mm thick in the forefoot Suitable for children's shoes designed for wearing with foot orthoses Various EVA combinations possible	20–34	
Fit	Suitable for standard shoes designed for wearing with foot orthoses Various EVA combinations possible Optional forefoot and heel cushions	35–50	
Fan Cup	Various EVA combinations possible	35–50	

ADDITIONAL FEATURES

DESCRIPTION	VERSION
Top cover price category 1	Lai Porellina caramel or blue
Top cover price category 2	Microfiber caramel, blue or lambskin leather
Heel cushion	4 mm PU foam
Forefoot intarsia	4 mm cushion material
Forefoot and hindfoot intarsia	4 mm cushion material

Additional models/customer-specific configurations are possible as custom-made solutions.
Please contact the relevant field sales representative or call the service hotline number 0800-0010530.

Milled sports foot orthoses

FOOTBALL

ITEM NUMBER
3 75500 0 00000**

GOLF RIGHT-HANDED SWING

ITEM NUMBER
3 75100 0 00000**

USES/INDICATIONS

- Designed to meet sport-specific requirements
- Biomechanically optimized support, stability and cushioning for the feet, knees, hip joints and spine
- Suitable for golf, inline skating, mountain biking, Alpine skiing and football
- Suitable for sports shoes

FEATURES

- CNC-milled, multi-layered, horizontal soft foam blank
- Sport-specific design in accordance with biomechanical requirements
- Orthopedically effective support for the foot arches
- Can be adapted to suit a wide range of foot proportions and shoe shapes

INFORMATION

MANUFACTURING/MODIFICATIONS

- Must/can be ground
  (to fit the shoe/side of the foot if required)
- Easy to grind
  (grinding belt, grit 60–100, polishing brush on the blade disk)
- Easy to bond (standard workshop adhesives)
- Top cover recommended, e.g. high-quality microfiber

CLEANING/CARE

- Surfaces can be wiped clean using a mild cleanser and a sponge.
- Not machine-washable
- Do not expose to direct heat
  (central heating, direct sunlight)
- We recommend that the functional properties of the foot orthosis are checked after 6 months of use.

MILLED SPORTS FOOT ORTHOSES

DESCRIPTION	VERSION	SIZE (**)	ITEM NUMBER
Golf right-handed swing	Long	35 – 48[3]	3 75100 0 00000**
Golf left-handed swing	Long	35 – 48[1]	3 75150 0 00000**
Skating	Long	35 – 48[1]	3 75200 0 00000**
Alpine skiing	Long	35 – 48[3]	3 75300 0 00000**
Mountain bike	Long	35 – 48[1]	3 75400 0 00000**
Football	Long	35 – 48[3]	3 75500 0 00000**

[1] Not a stock item. Please note that a longer delivery time will apply.
[3] Margin sizes. Not a stock item. Please note that a longer delivery time will apply.

CORK FOOT ORTHOSES
FROM NATURE
TO YOUR SHOES

GloboTec® Elastra-Cork

ITEM NUMBER
3 02522 5 00000**

USES/INDICATIONS

- Cork (and leather) orthotic blank for providing stable support for the foot arches
- For treating typical foot deformities, e.g. suitable for arch decreased or splay foot
- A cushioning effect is also possible, depending on the type of cushion layer used.
- Suitable for leisure and comfort shoes

FEATURES

- Bauerfeind's own combination of natural rubber and cork is lightweight, elastic and dimensionally stable
- Can be adapted to suit a wide range of foot proportions and shoe shapes
- Long-sole and short-sole blanks available
- Cork base layer available in various thicknesses and shapes, with or without a wooden spline
- High-quality, vegetable tanned, German-produced sleek leather ensures better conditions within the shoe.

INFORMATION

MANUFACTURING/MODIFICATIONS

- Must be ground (foot orthosis shape at the sides and foot orthosis thickness)
- Easy to grind (grinding belt, grit 40–100, polishing brush on the blade disk)
- Easy to bond (standard workshop adhesives)

CLEANING/CARE

- Leather top covers absorb sweat from the feet, which causes unavoidable discoloration.
- Not washable
- Do not expose to direct heat (central heating, direct sunlight)
- We recommend that the functional properties of the foot orthosis are checked after 6 months of use.



GloboTec® Elastra-Cork DESIGN IN DETAIL



1. **TOP COVER**
2. **CUSHION LAYER**
3. **PAD**
4. **THERMAL REINFORCEMENT**
5. **CORK BASE LAYER**

BASE LAYERS WITHOUT REINFORCEMENT, WIDE

TOP COVER	CUSHION LAYER	PAD	VERSION	SIZE (**)	ITEM NUMBER
Sleek leather soft 2 mm	–	√	Wide, long, thin, square shape	38–48	3 02023 5 00000**
Sleek leather soft 2 mm	–	√	Wide, short, medium	38–48	3 02163 1 00000**
Sleek leather soft 2 mm	–	√	Wide, long, medium, square shape	38–48	3 02163 5 00000**
–	Tecsoft gray (25° Shore A) 5 mm	√	Wide, long, medium, square shape	38–48	3 02523 5 00000**
Goatskin 0.8 mm	Tecsoft gray (25° Shore A) 5 mm	√	Wide, long, medium, square shape	38–48	3 02543 5 00000**

GloboTec® Elastra-Cork

BASE LAYERS WITHOUT REINFORCEMENT, NARROW

TOP COVER	CUSHION LAYER	PAD	VERSION	SIZE (**)	ITEM NUMBER
Sleek leather soft 2 mm	–	√	Narrow, short, medium	35 – 44[3]	3 02162 1 00000**
Sleek leather soft 2 mm	–	√	Narrow, long, medium	35 – 44[3]	3 02162 5 00000**
–	Tecsoft gray (25° Shore A) 5 mm	√	Narrow, long, medium	35 – 42	3 02522 5 00000**
Goatskin 0.8 mm	Tecsoft gray (25° Shore A) 5 mm	√	Narrow, long, medium	35 – 42	3 02542 5 00000**

BASE LAYERS WITH WOODEN SPLINE, WIDE

TOP COVER	CUSHION LAYER	PAD	VERSION	SIZE (**)	ITEM NUMBER
Sleek leather soft 2 mm	–	√	Wide, short, thin, wooden spline	35 – 48[3]	3 02023 1 04601**
Sleek leather soft 2 mm	–	√	Wide, long, thin, square shape, wooden spline	35 – 48[3]	3 02023 5 04601**
Sleek leather soft 2 mm	–	√	Wide, short, medium, wooden spline	38 – 48	3 02163 1 04601**
Sleek leather soft 2 mm	–	√	Wide, long, medium, square shape, wooden spline	37 – 48[3]	3 02163 5 04601**
Sleek leather soft 2 mm	–	√	Wide, long, thick, square shape, wooden spline	38 – 50[3]	3 02203 5 04601**
–	Tecsoft gray (25° Shore A) 5 mm	√	Wide, long, medium, square shape, wooden spline	38 – 50[3]	3 02523 5 04601**
Goatskin 0.8 mm	Tecsoft gray (25° Shore A) 5 mm	√	Wide, long, medium, square shape, wooden spline	38 – 48	3 02543 5 04601**

[3] Margin sizes. Not a stock item. Please note that a longer delivery time will apply.

BASE LAYERS WITH WOODEN SPLINE, NARROW

TOP COVER	CUSHION LAYER	PAD	VERSION	SIZE (**)	ITEM NUMBER
Sleek leather soft 2 mm	–	√	Narrow, short, thin, wooden spline	35–44[3]	3 02022 1 04601**
Sleek leather soft 2 mm	–	√	Narrow, long, thin, wooden spline	35–42	3 02022 5 04601**
Sleek leather soft 2 mm	–	√	Narrow, short, medium, wooden spline	35–44[3]	3 02162 1 04601**
Sleek leather soft 2 mm	–	√	Narrow, long, medium, wooden spline	35–44[3]	3 02162 5 04601**
–	Tecsoft gray (25° Shore A) 5 mm	√	Narrow, long, medium, wooden spline	35–44[3]	3 02522 5 04601**
Goatskin 0.8 mm	Tecsoft gray (25° Shore A) 5 mm	√	Narrow, long, medium, wooden spline	35–42	3 02542 5 04601**

[3] Margin sizes. Not a stock item. Please note that a longer delivery time will apply.

GloboTec® Elastra-Cork

BASE LAYERS WITH THERMAL REINFORCEMENT, WIDE

TOP COVER	PAD	VERSION	SIZE (**)	ITEM NUMBER
Sleek leather soft 2 mm	√	Wide, short, medium, thermal reinforcement	38 – 48	3 02163 1 04721**
Sleek leather soft 2 mm	Latex pad	Wide, long, medium, square shape, thermal reinforcement	38 – 48	3 02163 5 22211**
Sleek leather soft 2 mm	√	Wide, short, thick, ¾ thermal reinforcement	38 – 50[3]	3 02203 1 00000**
Sleek leather soft 2 mm	√	Wide, long, thick, square shape, thermal reinforcement	35 – 50[3]	3 02203 5 00000**

BASE LAYERS WITH THERMAL REINFORCEMENT, NARROW

TOP COVER	PAD	VERSION	SIZE (**)	ITEM NUMBER
Sleek leather soft 2 mm	√	Narrow, short, medium, thermal reinforcement	35 – 44	3 02162 1 04721**
Sleek leather soft 2 mm	Latex pad	Narrow, long, medium, thermal reinforcement	35 – 44[3]	3 02162 5 22211**
Sleek leather soft 2 mm	√	Narrow, short, thick, ¾ thermal reinforcement	35 – 42	3 02202 1 00000**
Sleek leather soft 2 mm	√	Narrow, long, thick, ¾ thermal reinforcement	35 – 43[3]	3 02202 5 00000**

[3] Margin sizes. Not a stock item. Please note that a longer delivery time will apply.

LOOSE BASE LAYERS

PAD	VERSION	SIZE (**)	ITEM NUMBER
√	Narrow, short, thin, without reinforcement	35 – 42[4]	3 02502 1 00000**
√	Narrow, short, thick, wood veneer	38 – 48[4]	3 02562 1 00000**
√	Wide, short, thick, wood veneer	38 – 48[4]	3 02563 1 00000**
√	Narrow, short, medium, without reinforcement	35 – 42[4]	3 02602 1 00000**
√	Wide, short, medium, without reinforcement	38 – 48[4]	3 02603 1 00000**
√	Narrow, short, medium, wood veneer	35 – 42[4]	3 02612 1 00000**
√	Wide, short, medium, wood veneer	38 – 48[4]	3 02613 1 00000**
√	Wide, short, thick, without reinforcement	40 – 50[4]	3 02623 1 00000**

CHILDREN'S FOOT ORTHOSES (CUP-SHAPED DESIGN), SLEEK LEATHER

TOP COVER	PAD	VERSION	SIZE (**)	ITEM NUMBER
Sleek leather soft 2 mm	√	Long, medium, without reinforcement	20 – 32[2] 33 – 34	3 02161 5 00000**
Sleek leather soft 2 mm	√	Short, medium, thermal reinforcement	20 – 32[2] 33 – 34	3 02201 1 00000**

[2] Double sizing
[4] Semi-finished products

More items are available as custom-made solutions.
Please contact the relevant field sales representative or call the service hotline number 0800-0010530.

GloboTec® Alpha-Cork

ITEM NUMBER
3 01650 5 04721**

USES/INDICATIONS

- Cork/leather orthotic blank for providing stable support for the foot arches
- For treating typical foot deformities, e.g. suitable for arch decreased or splay foot
- A cushioning effect is also possible, depending on the type of cushion layer used.
- For leisure and comfort shoes

FEATURES

- Lightweight natural cork mix
- Can be adapted to suit a wide range of foot proportions and shoe shapes
- Long-sole and short-sole blanks available
- Cork base layer also with thermal reinforcement for extra stability
- High-quality German-produced sleek leather ensures better conditions within the shoe.

INFORMATION

MANUFACTURING/MODIFICATIONS

- Must be ground (foot orthosis shape at the sides and foot orthosis thickness)
- Easy to grind (grinding belt, grit 40–100, polishing brush on the blade disk)
- Easy to bond (standard workshop adhesives)

CLEANING/CARE

- Leather top covers absorb sweat from the feet, which causes unavoidable discoloration.
- Not washable
- Do not expose to direct heat (central heating, direct sunlight)
- We recommend that the functional properties of the foot orthosis are checked after 6 months of use.



BASE LAYERS WITHOUT REINFORCEMENT

TOP COVER	PAD	VERSION	SIZE (**)	ITEM NUMBER
Sleek leather soft 2 mm	√	Wide, short	20 – 34[2] 35 – 48	3 01650 1 00000**
Sleek leather soft 2 mm	√	Wide, long	20 – 32[1,2] 34 – 48	3 01650 5 00000**

BASE LAYER WITH REINFORCEMENT

TOP COVER	PAD	VERSION	SIZE (**)	ITEM NUMBER
Sleek leather soft 2 mm	√	Wide, long, thermal reinforcement	20 – 34[1,2] 35 – 48	3 01650 5 04721**
Sleek leather firm 2.25 mm	√	Wide, short, thermal reinforcement	20 – 34[1,2] 35 – 48	3 37650 1 04721**
Sleek leather firm 2.25 mm	Latex pad	Wide, long, thermal reinforcement	20 – 34[1,2] 35 – 48	3 37650 5 22211**
Sleek leather firm 2.25 mm	√	Wide, long, wooden spline	35 – 48[3]	3 37850 5 00000**

CHILDREN'S FOOT ORTHOSES

TOP COVER	PAD	VERSION	SIZE (**)	ITEM NUMBER
Sleek leather soft 2 mm	√	Wide, short	20 – 34[2]	3 01650 1 00000**

[1] Not a stock item. Please note that a longer delivery time will apply.
[2] Double sizing
[3] Margin sizes. Not a stock item. Please note that a longer delivery time will apply.

More items are available as custom-made solutions.
Please contact the relevant field sales representative or call the service hotline number 0800-0010530.

GloboTec® Flexible Cork

ITEM NUMBER
3 03630 5 00000**

USES/INDICATIONS

- Cork/leather orthotic blank for providing stable support for the foot arches
- For treating typical foot deformities, e.g. arch decreased or splay foot
- For leisure and comfort shoes

FEATURES

- Semi-flexible, lightweight foot orthosis base layer
- Can be adapted to suit a wide range of foot proportions and shoe shapes
- Long-sole and short-sole blanks available
- Cork base layer also with thermal reinforcement for extra stability
- High-quality German-produced sleek leather ensures better conditions within the shoe.

INFORMATION

MANUFACTURING/MODIFICATIONS

- Must be ground (foot orthosis shape at the sides and foot orthosis thickness)
- Easy to grind (grinding belt, grit 40–100, polishing brush on the blade disk)
- Easy to bond (standard workshop adhesives)

CLEANING/CARE

- Leather top covers absorb sweat from the feet, which causes unavoidable discoloration.
- Not washable
- Do not expose to direct heat (central heating, direct sunlight)
- We recommend that the functional properties of the foot orthosis are checked after 6 months of use.



FLEXIBLE CORK, LONG, SLEEK LEATHER

TOP COVER	METATARSAL PAD	VERSION	SIZE (**)	ITEM NUMBER
Sleek leather firm 2.25 mm	√	Wide, long, thermal reinforcement	20 – 34[2] 35 – 48	3 03630 5 00000**
Sleek leather soft 2 mm	Latex pad	Wide, long, thermal reinforcement	20 – 34[1,2] 35 – 50[3]	3 03630 5 22866**
Sleek leather firm 2.25 mm	√	Narrow, long, thermal reinforcement	35 – 46	3 03640 5 00000**
Sleek leather firm 2.25 mm	√	Wide, long, thermal reinforcement	20 – 34[2] 35 – 50	3 03650 5 00000**
Sleek leather firm 2.25 mm	√	Wide, long, thermal reinforcement	35 – 48	3 03680 5 00000**
Sleek leather firm 2.5 mm	√ from size 36	Wide, long, thermal reinforcement, moderate heel cup	20 – 34[2] 36 – 48[2]	3 03750 5 00000**
Sleek leather firm 2.5 mm	√ from size 36	Wide, long, thermal reinforcement, high heel cup	20 – 34[2] 36 – 48[2]	3 03790 5 00000**

FLEXIBLE CORK, SHORT, SLEEK LEATHER

TOP COVER	METATARSAL PAD	VERSION	SIZE (**)	ITEM NUMBER
Sleek leather firm 2.25 mm	√	Wide, short, thermal reinforcement	34 – 50	3 03630 1 00000**
Sleek leather firm 2.25 mm	√ from size 36	Short, thermal reinforcement, heel cup moderate	20 – 34[2] 36 – 48[2]	3 03750 1 00000**
Sleek leather firm 2.5 mm	√ from size 36	Short, thermal reinforcement, high heel cup	20 – 34[2] 36 – 46[2]	3 03790 1 00000**

[1] Not a stock item. Please note that a longer delivery time will apply.
[2] Double sizing
[3] Margin sizes. Not a stock item. Please note that a longer delivery time will apply.

GloboTec® Flexible Cork

FLEXIBLE CORK, CHILDREN'S FOOT ORTHOSES

TOP COVER	METATARSAL PAD	VERSION	SIZE (**)	ITEM NUMBER
Sleek leather firm 2.25 mm	√	Wide, long, thermal reinforcement	20 – 34[2]	3 03630 5 00000**
Sleek leather firm 2.25 mm	√	Wide, long, thermal reinforcement	20 – 34[2]	3 03650 5 00000**
Sleek leather firm 2.25 mm	–	Short, thermal reinforcement, heel cup moderate	20 – 34[2]	3 03750 1 00000**
Sleek leather firm 2.25 mm	√	Short, thermal reinforcement, heel cup moderate	20 – 34[2]	3 03750 1 00351**
Sleek leather firm 2.5 mm	–	Wide, long, thermal reinforcement, moderate heel cup	20 – 34[2]	3 03750 5 00000**
Sleek leather firm 2.5 mm	–	Short, thermal reinforcement, high heel cup	20 – 34[2]	3 03790 1 00000**
Sleek leather firm 2.5 mm	–	Wide, long, thermal reinforcement, high heel cup	20 – 34[2]	3 03790 5 00000**

[2] Double sizing

VISCOELASTIC FOOT ORTHOSES

ViscoHeel®
ViscoHeel® K

Medical aid no. ViscoHeel:
08.03.06.001

ViscoHeel®

ViscoHeel® K

USES/INDICATIONS

- For acute treatment of achillodynia and Haglund's deformity (ViscoHeel), varus or valgus alignment of the heel (ViscoHeel K)
- Reduces impact loads on the ankle, knee, hip and spine.
- Provides effective relief for calf muscles and tendons.
- Soft cushioning reduces pressure discomfort under the heel.
- Can also be used as pronation or supination cushion.

FEATURES

- Viscoelastic, skin-friendly material
- Anatomically contoured
- Surface sloping at the sides (ViscoHeel K)

INFORMATION

CLEANING/CARE

- Can be cleaned with lukewarm water and a mild detergent
- Do not expose to direct heat (central heating, sunlight, when left in car, etc.)

ViscoHeel®

SIZE	SHOE SIZE	ITEM NUMBER
0	28 – 31	1 301702 2 000000
1	32 – 35	1 301702 2 000001
2	36 – 39	1 301702 2 000002
3	40 – 43	1 301702 2 000003
4	44 – 47	1 301702 2 000004

ViscoHeel® K

SIZE	SHOE SIZE	ITEM NUMBER
1	25 – 31	1 301710 2 000001
2	32 – 40	1 301710 2 000002
3	41 – 47	1 301710 2 000003

ViscoSpot®

Medical aid no.:
08.03.06.008

USES/INDICATIONS

- For acute treatment of calcaneal spurs, achillodynia and Haglund's deformity
- Targeted pressure relief in the area of the softest material (white spot)
- Additional relief of the insertion of the plantar fascia (blue spot)
- Recess along the course of the fascia

FEATURES

- Anatomical soft cushioning
- Smooth transition as a result of wavelike contours between the zones
- Reduces pressure at the edges
- Increased wearing comfort
- For use on either foot (with a compensating pad for the other foot) or both feet

INFORMATION

CLEANING/CARE

- Can be cleaned with lukewarm water and a mild detergent
- Do not expose to direct heat (central heating, sunlight, when left in car, etc.)

ViscoSpot®

VERSION	SIZE	SHOE SIZE	ITEM NUMBER
Right / left	1	32 – 40	1 301720 2 000501
Right / left	2	41 – 47	1 301720 2 000502
Right	1	32 – 40	1 301720 2 000601
Right	2	41 – 47	1 301720 2 000602
Left	1	32 – 40	1 301720 2 000701
Left	2	41 – 47	1 301720 2 000702

ViscoBalance®

Medical aid no.:
08.03.06.1002

USES/INDICATIONS

- For acute treatment of leg length differences and Achilles tendon symptoms (achillodynia)
- Improves spine, knee, and hip joint symptoms caused by static strain.
- Reduces impact loads on the ankle, knee, hip and spine.
- Suitable for leisure, sports and work shoes

FEATURES

- Viscoelastic, skin-friendly material
- Available in four sizes and three different heights: 3 mm, 5 mm and 10 mm
- Non-slip

INFORMATION

CLEANING/CARE

- Can be washed with lukewarm water and a mild detergent.

ViscoBalance®

SIZE	SHOE SIZE	ITEM NUMBER
1	32 – 35	1 30174* 0 050001
2	36 – 39	1 30174* 0 050002
3	40 – 43	1 30174* 0 050003
4	44 – 47	1 30174* 0 050004

*1 = height 3 mm, *2 = height 5 mm,
*3 = height 10 mm

ViscoPed®
ViscoPed® S

ViscoPed®

ITEM NUMBER
1 301730 1 00000*

USES/INDICATIONS

- For acute treatment of plantar tenderness or forefoot and toe deformities
- Reduces load peaks.
- Special soft pads alleviate or eliminate painful irritation.
- Reduces shock loads on the ankle, knee, hip and spine.
- Suitable for leisure, sports and work shoes

FEATURES

- Long-sole, viscoelastic foot orthosis
- Splay foot pad and slight longitudinal arch support
- Non-slip

INFORMATION

CLEANING/CARE

- Can be washed with lukewarm water and a mild detergent.

ViscoPed®

SIZE	SHOE SIZE	ITEM NUMBER
1	37 – 38	1 301730 1 000001
2	39 – 40	1 301730 1 000002
3	41 – 42	1 301730 1 000003
4	43 – 44	1 301730 1 000004
5	45 – 46	1 301730 1 000005

ViscoPed® S

SIZE	SHOE SIZE	ITEM NUMBER
0	35 – 36	1 381732 1 000000
1	37 – 38	1 381732 1 000001
2	39 – 40	1 381732 1 000002
3	41 – 42	1 381732 1 000003
4	43 – 44	1 381732 1 000004
5	45 – 46	1 381732 1 000005
6	47 – 48	1 381732 1 000006

PERFECT INDIVIDUAL FITTING THANKS TO OUR MEASUREMENT SYSTEMS

Digital measurement technology is used to record the specific load distribution of the feet. This provides a basis that foot experts can then use to identify the triggering factors causing foot complaints and to establish the general dynamics of the feet during walking. This allows exact fitting of the orthopedic foot orthoses to the individual requirements to provide exact relief.



FOOT PRESSURE MEASUREMENT SYSTEMS
PRESSURE PLATES AND WLAN MEASURING INSOLES

The **medilogic® pressure plates** and wireless **WLAN measuring insoles** measure the static and dynamic pressure distribution on the sole of the foot and provide information on the heel-to-toe behavior and the body's center of gravity.



medilogic

	BODYTRONIC® 100 medilogic pressure plate Pro (wireless)	BODYTRONIC® 110 medilogic pressure plate Basic (cable)	BODYTRONIC® 150 medilogic WLAN measuring insole
AREA OF APPLICATION	• Measurement and display of the loading situation and pressure distribution on the sole of the foot • Allows specific conclusions about foot misalignments and the general dynamics of the foot during walking • Working basis for the provision of foot orthoses and shoes		
FEATURES	• Over 4,000 surface resistive SSR sensors	• Over 2,000 surface resistive SSR sensors	• Max. 240 surface resistive SSR sensors per sole
	• Measurement area: 480 x 480 mm	• Measurement area: 480 x 240 mm	• Available in a range of shapes and sizes 19/20 up to 49/50
	• Weight: 7 kg	• Weight: 5 kg	• Weight: 125 g incl. WLAN mode
		• Especially suitable for flexible use	• Wireless system
			• Max. 400 Hz scanning frequency per sensor
			• Range: >100 m (outdoors, inside 25 m)
			• Evidence of the "before and after" effect of foot orthoses (quality of care)
CLEANING/ CARE:	• The measuring soles and plates can be wiped clean and disinfected. • Calibration performed by the manufacturer T&T medilogic Medizintechnik GmbH		

Applies for all pressure plates and WLAN measuring insoles

FOOT SCANNER

BODYTRONIC® 140 AND TOUCHPOINT

BODYTRONIC 140 by Rothballer scans and documents the plantar side of the foot in just a few seconds for validation and ensuring the foot orthoses treatment.

The **TouchPoint** by Rothballer combines the 2D foot scanner with a touch screen and a fully functional computer.

ROTHBALLER electronic systems

	BODYTRONIC® 140 Rothballer 2D foot scanner	**TouchPoint** Rothballer 2D foot scanner
AREA OF APPLICATION	• Simultaneous measurement of both feet • Specific conclusions concerning pressure points, skin anomalies and foot deformities • Working basis for the provision of foot orthoses and shoes	
FEATURES	• Basic scanner (8 sec./scan)	• Measurement technology and consultation in one
	• HighSpeed scanner (2 sec./scan)	• Basic or HighSpeed scanner
	• Safety glass plate	• Touch PC: touch screen monitor and fully functional computer
	• USB 2.0	• LED illuminated stand
	• Scan surface 30 x 43 cm	• Saves space thanks to flexible placement options
	• Maximum load 180 kg	
	• Weight: approx. 12 kg	
CLEANING/ CARE:	• 2D foot scanner can be wiped clean and disinfected.	

Applies to both 2D foot scanners

3D MEASUREMENT SYSTEMS

BODYTRONIC® 400
BODYTRONIC® 600

The **BODYTRONIC 400** and **600** digital measurement systems measure the legs up to the hips. Knees and ankles can also be measured individually for specific treatment.
The 3D model of the relevant body part generated by the system and numerous measurement data form the basis for an accurate choice of size and product. Both measurement systems allow the legs and feet to be easily exported in a 3D standard format for shoe and last manufacturing.

In addition, a foam imprint can be scanned in 3D for modelling milled orthoses using the **BODYTRONIC ID:CAM**.



ROTHBALLER electronic systems

	BODYTRONIC® 400 Rothballer 3D scanning system	BODYTRONIC® 600 Bauerfeind 3D scanning system
AREA OF APPLICATION	• Exact 3D image of the measurement area of the lower body and 2D scan of the plantar side of the foot (only with foot scanner)	• Exact 3D image of the measurement area of the lower body and from 2016/2017 also of the upper body
	• Working basis for treatment with foot orthoses, shoes and compression stockings	• Working basis for treatment with knee orthoses, compression stockings, knee and ankle supports
		• Integrated leg volume measurement
FEATURES	• Contact-free measurement with no need for special measurement clothing • Verifiable and reproducible measurement results	
	• Base area 1.60 x 1.76 m	• Base area 1.24 x 2.30 m
	• Available with or without foot scanner	• Self-rotating measurement platform
		• Clinically proven
		• Modular (further measurement systems can be linked) and connected (online shops)
CLEANING/ CARE:	• Floor plate can be wiped clean and disinfected. • Calibration performed by the manufacturer	

BODYTRONIC® ID:CAM

The **BODYTRONIC ID:CAM** system solution by Bauerfeind allows you to efficiently model and manufacture custom-made milled orthoses.

The benefits for you:

- **Free online application:** no license, service or update fees
- **Open system:** flexible use of measurement data
- **Simple and intuitive:** user-friendly operation
- **Time-saving:** quick modeling of foot orthoses thanks to large integrated module and foot orthoses library

The free web application is available at **www.bauerfeind.com/idcam**.



MEASURE – MODEL – VALIDATE

Now you decide which stages of the foot orthosis production process you want to participate in. If you like, Bauerfeind can take the digital measurement data and start modeling and milling the orthoses straight away.

SELECT THE PROFILE THAT SUITS YOU

BASIC BAUERFEIND FULL SERVICE	**ADVANCED** BAUERFEIND VALIDATION SERVICE	**PROFESSIONAL** BAUERFEIND MANUFACTURING SERVICE
You send the necessary customer data and information concerning the material, shape and shoe size.	You carry out the modeling based on the customer data using an integrated model and module library.	You perform the configuration and modeling yourself and then send the order online directly into the production.
Bauerfeind takes over the modeling and manufacture of the milled orthoses for you.	Bauerfeind manufactures your milled orthoses after carrying out a check.	Bauerfeind manufactures your custom-milled orthoses without checking them beforehand.

PedoPrint® FOOTPRINT DEVICE

ITEM NUMBER
3 60430 0 0000000

USES/INDICATIONS

- Image of the load-bearing are on the sole of the foot and the foot outline
- Allows for conclusions to be drawn about foot deformities
- Working basis for the provision of foot orthoses and shoes

FEATURES

- Traditional, portable footprint device for creating 2D footprints
- Available as a complete set incl. a rubber mat (with a grid pattern or plain), outline pen, ink roller, stamping ink (blue), 50 sheets of footprint paper, 10 sheets of protective film
- When the footprint device is used for a number of patients, the sheets of protective film ensure a better level of hygiene.
- Individual components can also be ordered separately (see table)

INFORMATION

USE

- Use the ink roller to apply the ink thinly and evenly on one side of the rubber mat.
- Put the sheet of footprint paper in place, attach the frame with the colored side of the rubber mat on the paper.
- Position the foot on the clean side of the rubber mat and use the outline pen to draw round the foot at 90°.
- Lift up the frame and remove the paper with the foot imprint.
- Before taking a new imprint, ink must be reapplied to the rubber mat.

CLEANING/CARE

- It is recommended that a surface disinfectant is used regularly to clean the footprint device and rubber mat.

PedoPrint® COMPLETE SET
including: Rubber mat (with a grid pattern or plain), outline pen, ink roller, stamping ink (blue), 50 sheets of footprint paper, 10 sheets of protective film

DESCRIPTION	VERSION	PACKAGING UNIT	ITEM NUMBER
Complete set	Rubber mat plain	Piece	3 60430 0 0000000
Complete set	Rubber mat with grid pattern	Piece	3 60430 0 0010000

PedoPrint® ACCESSORIES

DESCRIPTION	VERSION	PACKAGING UNIT	ITEM NUMBER
Replacement rubber mat	Plain with plastic frame	Piece	3 60432 0 0000000
Replacement rubber mat	With grid pattern and plastic frame	Piece	3 60432 0 0010000
Replacement rubber mat	With grid pattern, without frame	Piece	3 60432 0 0020000
Ink roller	–	Piece	3 60431 0 0000000
Stamping ink	Blue	28 ml	3 60405 0 0000000
Outline pen	Synthetic material	Piece	3 60435 0 0000000
Sheets of footprint paper	Single-sided design	500 pieces	3 60440 0 0000000
Sheets of footprint paper	Double-sided design	500 pieces	3 60441 0 0000000
Sheets of protective film	–	100 pieces	3 60445 0 0000000

IMPRINT FOAM

ITEM NUMBER
3 60450 1 0000000

USES/INDICATIONS

- Image of the load-bearing are on the sole of the foot and the foot outline
- Allows for conclusions to be drawn about foot deformities
- Working basis for the provision of foot orthoses and shoes

FEATURES

- PU foam for single use to create 1 pair of 3D foot imprints
- Available in a folding cardboard box, can be written on
- The imprint foam is available in the dimensions 325 x 145 x 38 mm and 325 x 145 x 50 mm (length x width x height).

INFORMATION

USE

- Open the imprint foam box
- If there are any wounds on the feet, cover them using sterile material.
- With the patient either seated or standing, position one foot of the patient after the other on the foam and apply vertical pressure.
- If necessary, mark the lateral line across the ball of the foot and the center of the ankle.
- Remove the foot from the imprint foam and close the cardboard box.
- To create foot orthosis lasts, plaster or last foam can be poured into the foam imprint.

DESCRIPTION	HEIGHT	PACKAGING UNIT	ITEM NUMBER
Imprint foam	38 mm	50 pieces / pack	3 60450 1 0000000
Imprint foam	38 mm	25 pieces / pack	3 60451 1 0000000
Imprint foam EXTRA	50 mm	25 pieces / pack	3 60457 1 0000000

STRAP SHOES AND PRESSURE RELIEF ORTHOSES

GloboPed® Active
Strap shoe

ITEM NUMBER
3 66290 1 3600000

USES/INDICATIONS

- Ready-made strap and temporary shoe for early mobilization when there is a bandage or dressing on the foot
- Support for treatment of foot deformities, chronic foot inflammation or swelling
- For the treatment of one individual patient, may not be reused or used by others

FEATURES

- Ankle-high shoe, available as a single shoe, can be used for the left or right foot
- Durable, antimicrobial, washable shoe upper material
- Wide foot entry thanks to Velcro strap closure
- Easier to put on and take off thanks to zipper at the back
- Ready-made soft inlay that can be replaced by a customized foot orthosis

INFORMATION

FITTING

- The first fitting and customization must be performed by a trained specialist.
- The instructions for use enclosed with the product must be adhered to.
- It must be ensured that customized foot orthoses do not reduce the interior volume of the shoe available for the foot.

CLEANING/CARE

- Must be checked regularly for function and wear by a trained specialist and replaced if necessary
- Hand wash, 40 °C

GloboPed® Active strap shoe

SIZE	ITEM NUMBER LEFT	ITEM NUMBER RIGHT
35 – 36	3 66290 2 3600000	3 66290 1 3600000
37 – 38	3 66290 2 3800000	3 66290 1 3800000
39 – 40	3 66290 2 4000000	3 66290 1 4000000
41 – 42	3 66290 2 4200000	3 66290 1 4200000
43 – 44	3 66290 2 4400000	3 66290 1 4400000
45 – 46	3 66290 2 4600000	3 66290 1 4600000
47 – 48	3 66290 2 4800000	3 66290 1 4800000

GloboPed® Sanoped
Strap shoe

ITEM NUMBER
3 66200 0 3600000

USES/INDICATIONS

- Ready-made strap and temporary shoe for early mobilization when there is a bandage or dressing on the foot
- Support for treatment of foot deformities, chronic foot inflammation or swelling
- For the treatment of one individual patient, may not be reused or used by others

FEATURES

- Loafer-style shoe shape, available as a single shoe, can be worn on either the left or the right foot
- The upper is made of soft PE foam that can be washed and disinfected.
- Thermo-formable (at approx. 100 °C), minor modifications possible, e.g. through perforation
- Ready-made soft inlay that can be replaced by a customized foot orthosis
- Lightweight

INFORMATION

FITTING

- The first fitting and customization must be performed by a trained specialist.
- The instructions for use enclosed with the product must be adhered to.
- It must be ensured that customized foot orthoses do not reduce the interior volume of the shoe available for the foot.

CLEANING/CARE

- Must be checked regularly for function and wear by a trained specialist and replaced if necessary

GloboPed® Sanoped strap shoe

SIZE	ITEM NUMBER
35 – 36	3 66200 0 3600000
37 – 38	3 66200 0 3800000
39 – 40	3 66200 0 4000000
41 – 42	3 66200 0 4200000
43 – 44	3 66200 0 4400000
45 – 46	3 66200 0 4600000
47 – 48	3 66200 0 4800000

GloboPed® Postop
Forefoot relief orthoses

ITEM NUMBER
3 66270 0 0010000

USES/INDICATIONS

- Ready-made forefoot relief orthosis for the targeted pressure relief of the forefoot and anterior metatarsal area for postoperative and post-traumatic conditions
- For the treatment of one individual patient, may not be reused or used by others

FEATURES

- Over-the-ankle orthosis, available as a single orthosis, can be worn on either the left or the right foot
- Moderate dorsiflexed foot position
- Durable, antimicrobial, washable shoe upper material
- Stability thanks to the molded heel counter and Velcro fastenings
- Lightweight

INFORMATION

FITTING
- The first fitting and customization must be performed by a trained specialist.
- The instructions for use enclosed with the product must be adhered to.

CLEANING/CARE
- Must be checked regularly for function and wear by a trained specialist and replaced if necessary
- Hand wash, 40 °C

GloboPed® Postop forefoot relief orthosis

SIZE	SHOE SIZE	ITEM NUMBER
S	33 – 34	3 66270 0 0010000
M	35 – 38	3 66270 0 0020000
L	39 – 42	3 66270 0 0030000
XL	43 – 46	3 66270 0 0040000

ACCESSORIES

DESCRIPTION	SIZE	ITEM NUMBER
GloboPed aluminum protective frame	S – XL	3 66249 0 0010000
GloboPed protective frame	S / M	3 66249 0 0020000
GloboPed protective frame	L / XL	3 66249 0 0030000

GloboPed® Mobile
Heel relief orthosis

ITEM NUMBER
3 66280 0 0010000

USES/INDICATIONS

- Ready-made heel relief orthosis for the targeted pressure relief of the hindfoot or heel for postoperative and post-traumatic conditions
- For the treatment of one individual patient, may not be reused or used by others

FEATURES

- Over-the-ankle orthosis, available as a single orthosis, can be worn on either the left or the right foot
- Durable, antimicrobial, washable shoe upper material
- Velcro fastenings
- Lightweight

INFORMATION

FITTING
- The first fitting and customization must be performed by a trained specialist.
- The instructions for use enclosed with the product must be adhered to.

CLEANING/CARE
- Must be checked regularly for function and wear by a trained specialist and replaced if necessary
- Hand wash, 40 °C

GloboPed® Mobile Heel relief orthosis

SIZE	SHOE SIZE	ITEM NUMBER
S	36–39	3 66280 0 0010000
M	40–42	3 66280 0 0020000
L	43–45	3 66280 0 0030000
XL	46–48	3 66280 0 0040000

COMPONENTS

PADS





FOAM RUBBER PADS

NO.	VERSION	SIZE (**)	ITEM NUMBER
1	Medium height, soft	1 – 4	3 60202 0 00*0000
2	High, soft	1 – 3	3 60207 0 00*0000
3	Flat, soft	1 – 2	3 60208 0 00*0000
4	Flat, soft	0 – 3	3 60209 0 00*0000
5	High, soft	1 – 4	3 60231 0 00*0000
6	Medium height, semi-firm	1 – 4	3 60235 0 00*0000
7	High, very soft	1 – 5	3 60245 0 00*0000
8	Tear-shaped, leather cover, self-adhesive	1 – 4	3 60270 0 00*0000
9	T-shaped, leather cover, self-adhesive	1 – 4	3 60271 0 00*0000
10	High, soft	10 – 12	3 60650 2 0**0000
11	High, soft	1 – 3	3 60650 7 00*0000
12	Flat, soft, anatomical shape	1 – 2	3 60650 3 00*0000
13	Medium height, soft, anatomical shape	1 – 2	3 60650 4 00*0000

Packaging unit (PE): 10 pairs each

PADS







SPONGE RUBBER PADS

NO.	VERSION	SIZE (**)	ITEM NUMBER
1	Flat, semi-soft	1 – 4	3 60200 0 00**000
2	High, firm	1 – 2	3 60225 0 00**000
3	Medium height, semi-firm	1 – 2	3 60228 0 00**000
4	High, semi-firm	1 – 2	3 60200 0 00**000
5	High, firm	1 – 2	3 60650 1 00**000

Packaging unit (PE): 10 pairs each

CUSHIONS

FOREFOOT CUSHIONS | foam rubber | soft

LENGTH / ⌀	SIZE	ITEM NUMBER
6 cm	1	3 60110 0 0010000
6.5 cm	2	3 60110 0 0020000
7 cm	3	3 60110 0 0030000

Packaging unit (PE): 10 pairs each

MIDFOOT CUSHIONS | foam rubber | retrocapital forefoot relief

LENGTH / ⌀	SIZE	ITEM NUMBER
8 cm	10	3 60651 1 0100000
9 cm	11	3 60651 1 0110000
10 cm	12	3 60651 1 0120000

Packaging unit (PE): 10 pairs each

WEDGES

LONGITUDINAL ARCH WEDGES | sponge rubber | firm

LENGTH / Ø	SIZE	ITEM NUMBER
11 cm	0	3 60103 0 0000000
10 cm	2	3 60103 0 0020000
9 cm	4	3 60103 0 0040000
8 cm	6	3 60103 0 0060000

Packaging unit (PE): 10 pairs each

LONGITUDINAL ARCH WEDGES | sponge rubber | firm

LENGTH / Ø	SIZE	ITEM NUMBER
13 cm	1	3 60656 0 0010000
12 cm	2	3 60656 0 0020000
10.5 cm	3	3 60656 0 0030000
9 cm	4	3 60656 0 0040000

Packaging unit (PE): 10 pairs each

LONGITUDINAL ARCH WEDGES | solid rubber

LENGTH / Ø	SIZE	ITEM NUMBER
11.5 cm	2	3 60656 5 0050000
10 cm	3	3 60656 5 0030000
8.5 cm	4	3 60656 5 0040000

Packaging unit (PE): 10 pairs each

PES VALGUS WEDGES | with heel basket

LENGTH / Ø	SIZE	ITEM NUMBER
10 cm	0	3 60683 0 0000000
11 cm	1	3 60683 0 0010000
12 cm	2	3 60683 0 0020000
12.5 cm	3	3 60683 0 0030000

Packaging unit (PE): 10 pairs each

OUTER HEEL WEDGES | solid rubber

LENGTH / Ø	SIZE	ITEM NUMBER
11 cm	1	3 60654 0 0010000
12.5 cm	2	3 60654 0 0020000
14 cm	3	3 60654 0 0030000

Packaging unit (PE): 10 pairs each

ANGLED HEEL WEDGES | sponge rubber

LENGTH / Ø	SIZE	ITEM NUMBER
9.5 cm	1	3 60655 1 0010000
8.5 cm	2	3 60655 1 0020000
7 cm	3	3 60655 1 0030000

Packaging unit (PE): 10 pairs each

HEEL CUSHIONS

HEEL CUSHIONS | soft

LENGTH/WIDTH	SIZE	ITEM NUMBER
7.7 / 5.4 cm	1	3 60290 0 0010000
8.5 / 6.0 cm	2	3 60290 0 0020000
9.3 / 6.6 cm	3	3 60290 0 0030000
10 / 7.4 cm	4	3 60290 0 0040000

Packaging unit (PE): 1 pair each

HEEL SPUR CUSHIONS

HEEL SPUR CUSHIONS | semi-firm | self-adhesive

LENGTH / Ø	SIZE	ITEM NUMBER
9.7 / 5.9 cm	10	3 60290 0 0010000
10.8 / 6.5 cm	12	3 60658 6 0040000

Packaging unit (PE): 1 pair each

HEEL CUSHIONS

HEEL CUSHIONS | 50° Shore 00 | gray

LENGTH / 0	SIZE	ITEM NUMBER
35 – 37	1	3 60658 6 0010000
38 – 40	2	3 60658 6 0020000
41 – 43	3	3 60658 6 0030000
44 – 46	4	3 60658 6 0040000

Packaging unit (PE): 10 pairs each

HEEL CUSHIONS | 60° Shore 00 | anthracite

LENGTH / 0	SIZE	ITEM NUMBER
35 – 37	1	3 60658 6 0010000
38 – 40	2	3 60658 6 0020000
41 – 43	3	3 60658 6 0030000
44 – 46	4	3 60658 6 0040000

Packaging unit (PE): 10 pairs each

SMALL PADS

SMALL ADHESIVE PADS | beige | self-adhesive

LENGTH / Ø	ITEM NUMBER
33 mm	3 60016 0 0300500

Packaging unit (PE): 50 pieces each

SMALL FLEECE PADS | beige | self-adhesive

LENGTH / Ø	ITEM NUMBER
33 mm	3 60017 0 0300500

Packaging unit (PE): 50 pieces each

RUBBER FOOT ORTHOSES

SARDINIA



VERSION	SIZE (**)	ITEM NUMBER
1801D, narrow	35 – 42	3 60280 2 **00000
1801H, wide	38 – 46	3 60280 3 **00000

Packaging unit (PE): 1 pair each

MALTA



VERSION	SIZE (**)	ITEM NUMBER
1802D, narrow	36 – 42	3 60285 2 **00000
1802H, wide	38 – 46	3 60285 3 **00000

Packaging unit (PE): 1 pair each

CORSICA

VERSION	SIZE (**)	ITEM NUMBER
Normal	30 – 46[2]	3 60296 0 **00000

Packaging unit (PE): 1 pair each

[2] Double sizing

TOP COVER AND PLATE MATERIALS

TOP COVER MATERIALS

MICROFIBER



ITEM NUMBER
3 61225 0 0000 300

ITEM NUMBER
3 61225 0 0001 800

USES/INDICATIONS

- Suitable for foot-side covering of foot orthoses
- For sport, leisure and everyday use

FEATURES

- Abrasion-resistant (Martindale tested in accordance with DIN EN ISO 12947)
- Comfortable, non-slip foot-side contact surface
- Polyester/polyethylene textile mix
- Selected products with silver ion coating
- Biocompatible in accordance with DIN EN ISO 10993-1

INFORMATION

MANUFACTURING/MODIFICATIONS

- Easy to cut with shears or knife (non-directional)
- Easy to bond (standard workshop adhesives)

CLEANING/CARE

- Wipe using a mild cleanser and a sponge
- Air dry
- Do not expose to direct heat (central heating, direct sunlight)

MICROFIBER

DESCRIPTION	THICKNESS	DIMENSIONS	ITEM NUMBER	
Microfiber blue with print (animal track pattern)	0.7 mm	1,000 x 1,400 mm	3 61223 5 0000 700	
Microfiber gray	0.7 mm	1,000 x 1,400 mm	3 61225 0 0000 300	
Microfiber beige	0.7 mm	1,000 x 1,400 mm	3 61225 0 0000 500	
Microfiber brown*	0.7 mm	1,000 x 1,400 mm	3 61225 0 0000 600	
Microfiber blue	0.7 mm	1,000 x 1,400 mm	3 61225 0 0000 700	
Microfiber navy*	0.7 mm	1,000 x 1,400 mm	3 61225 0 0001 800	
Microfiber anthracite	0.7 mm	1,000 x 1,400 mm	3 61225 0 0002 200	
Microfiber macchiato	0.7 mm	1,000 x 1,400 mm	3 61225 0 0002 600	
Microfiber ice-blue	0.7 mm	1,000 x 1,400 mm	3 61225 0 0004 700	

* with silver ion coating

TOP COVER MATERIALS

LAI PORELLINA/SYNTHETIC LEATHER



ITEM NUMBER
3 61250 0 0000 500

ITEM NUMBER
3 61215 0 0000 600

USES/INDICATIONS

- Suitable for foot-side covering of foot orthoses
- For everyday use

FEATURES

- Abrasion resistant
- Comfortable foot-side contact surface
- Lai Porellina available in smooth and perforated design
- Biocompatible in accordance with DIN EN ISO 10993-1

INFORMATION

MANUFACTURING/MODIFICATIONS

- Easy to cut with shears or knife (non-directional)
- Easy to bond (standard workshop adhesives)

CLEANING/CARE

- Wipe using a mild cleanser and a sponge
- Air dry
- Do not expose to direct heat (central heating, direct sunlight)

LAI PORELLINA

DESCRIPTION	THICKNESS	DIMENSIONS	ITEM NUMBER	
Lai Porellina beige (viscose/PU)	0.7 – 0.75 mm	1,000 x 1,500 mm	3 61200 0 0000 500	
Lai Porellina beige perforated (viscose/PU)	0.7 – 0.75 mm	1,000 x 1,500 mm	3 61250 0 0000 500	

SYNTHETIC LEATHER

DESCRIPTION	THICKNESS	DIMENSIONS	ITEM NUMBER	
Synthetic suede black (PE)	Approx. 0.8 mm	1,000 x 1,400 mm	3 61212 0 0000 300	
Skai synthetic leather brown (PVC)	Approx. 1 mm	1,000 x 1,400 mm	3 61215 0 0000 600	

TOP COVER MATERIALS

LEATHER

LEATHER PATTERN

ITEM NUMBER
3 61674 0 0070 000

USES/INDICATIONS

- Suitable for foot-side covering of foot orthoses
- For everyday use and leisure

FEATURES

- Abrasion resistant
- Comfortable foot-side contact surface
- Vegetable, chrome* tanned or combined** depending upon design
- Available in smooth and perforated design
- Available in various thicknesses

INFORMATION

MANUFACTURING/MODIFICATIONS

- Easy to cut with shears or knife (non-directional)
- Easy to bond (standard workshop adhesives)
- Millable

CLEANING/CARE

- Air dry
- Do not expose to direct heat (central heating, direct sunlight)

* No use of chromium VI salts! ** Chrome pretanned and then vegetable retanned

GOATSKIN

DESCRIPTION	THICKNESS	DIMENSIONS	ITEM NUMBER	
Goatskin, natural look, chrome tanned	Approx. 0.8 mm	Whole hides	3 61674 0 0070 000	
Goatskin, natural look, chrome tanned	Approx. 1 mm	Whole hides	3 61674 0 0100 000	
Goatskin perforated, light, natural look, chrome tanned	Approx. 1 mm	Whole hides	3 61674 5 0070 000	

CALFSKIN

DESCRIPTION	THICKNESS	DIMENSIONS	ITEM NUMBER	
Calfskin lining, natural look, perforated	0.8 – 1 mm	Whole hides	3 61619 0 0120 000	
Buffalo calfskin, soft, natural look, perforated	Approx. 1 mm	Approx. 7.00 sq. ft.	3 61615 0 0100 000	

TOP COVER MATERIALS

LEATHER

SLEEK LEATHER CROUPONS

DESCRIPTION	THICKNESS	DIMENSIONS	ITEM NUMBER	
Sleek leather croupons firm, natural look, vegetable tanned	Approx. 1.5 mm	Approx. 1 m^2	3 61629 0 0170 000	
Sleek leather croupons firm, natural look, vegetable tanned	Approx. 2 mm	Approx. 1 m^2	3 61629 0 0200 000	
Sleek leather croupons firm, natural look, vegetable tanned	Approx. 2.5 mm	Approx. 1 m^2	3 61629 0 0250 000	

SLEEK LEATHER HALVES

DESCRIPTION	THICKNESS	DIMENSIONS	ITEM NUMBER	
Sleek leather halves soft, perforated, natural look, vegetable tanned	Approx. 1.25 mm	Approx. 2.2 m^2	3 61611 0 0120 000	
Sleek leather halves semi-firm, natural look, vegetable tanned	Approx. 2 mm	Approx. 2.2 m^2	3 61612 0 0200 000	
Sleek leather halves firm, perforated, natural look, vegetable tanned	Approx. 1.25 mm	Approx. 2.2 m^2	3 61613 0 0120 000	

PLATE MATERIALS

TECfom/TECmoll/TEClast



ITEM NUMBER
3 61457 0 0600 700

ITEM NUMBER
3 61459 0 0600 400

USES/INDICATIONS

- Cushioning (TECfom, TECmoll) and construction (TECmoll, TEClast) materials for various types of foot orthosis
- For functional cushioning (TECfom, TECmoll), relief (TECfom) and support (TECmoll, TEClast)
- For sport, leisure and work

FEATURES

- Closed cell soft foam (EVA/PE) (TECfom: 25° Shore A*; TECmoll: 35° Shore A*; TEClast: 45° Shore A*)
- Available in various thicknesses
- Biocompatible according to DIN EN ISO 10993-1

* Production-related Shore hardness tolerance: +/-10%

INFORMATION

MANUFACTURING/MODIFICATIONS

- Trimmable (sole leather shears/knife; saw can also be used for TECmoll and TEClast)
- Thermo-formable (TECfom/TECmoll: 80–120 °C hot air blower/oven; TEClast: 100–140 °C hot air blower/ oven)
- Attention: Material shrinkage possible!
- Easy to grind (grinding belt: grit 24–100, pumice stone, blade disk)
- Easy to bond (first roughen extensively, standard workshop adhesives)

STORAGE

- Store hanging or lying
- Store at 10–25 °C
- Store in a dry place, do not expose to direct heat (heating, direct sunlight)

PLATE MATERIALS

TECfom/TECmoll/TEClast

TECfom (EVA/PE)

DESCRIPTION	SHORE HARDNESS	THICKNESS	DIMENSIONS	ITEM NUMBER	
TECfom sapphire blue	25° Shore A	3 mm	1,150 x 1,150 mm	3 61457 0 0300 700	
TECfom sapphire blue	25° Shore A	6 mm	1,150 x 1,150 mm	3 61457 0 0600 700	
TECfom light azure blue	25° Shore A	6 mm	1,150 x 1,150 mm	3 61467 1 0600 700	

TECmoll (EVA/PE)

DESCRIPTION	SHORE HARDNESS	THICKNESS	DIMENSIONS	ITEM NUMBER	
TECmoll silver-gray	35° Shore A	3 mm	1,000 x 1,000 mm	3 61458 0 0300 400	
TECmoll silver-gray	35° Shore A	6 mm	1,000 x 1,000 mm	3 61458 0 0600 400	
TECmoll silver-gray	35° Shore A	15 mm	1,000 x 1,000 mm	3 61458 0 1500 400	
TECmoll sapphire blue	35° Shore A	6 mm	1,000 x 1,000 mm	3 61458 0 0600 700	

TEClast (EVA/PE)

DESCRIPTION	SHORE HARDNESS	THICKNESS	DIMENSIONS	ITEM NUMBER	
TEClast gray	45° Shore A	6 mm	1,000 x 1,000 mm	3 61459 0 0600 400	
TEClast gray	45° Shore A	15 mm	1,000 x 1,000 mm	3 61459 0 1500 400	

PLATE MATERIALS

ALLEGRO

ITEM NUMBER
3 61454 0 0600 600

USES/INDICATIONS

- Construction material for various types of foot orthosis
- For functional support
- For sport, leisure and work

FEATURES

- Closed-cell soft foam
  (EVA/PE, 55° Shore A*)
- Biocompatible according to DIN EN ISO 10993-1

INFORMATION

MANUFACTURING/MODIFICATIONS

- Trimmable (sole leather shears/shears/saw)
- Thermoplastic molding possible
  (100–140 °C hot air blower/oven)
- Attention: Material shrinkage possible!
- Easy to grind
  (grinding belt: grit 24–100, pumice stone, blade disk)
- Easy to bond (first roughen extensively,
  standard workshop adhesives)

STORAGE

- Store hanging or lying
- Store at 10–25 °C
- Store in a dry place, do not expose to direct heat
  (heating, direct sunlight)

DESCRIPTION	SHORE HARDNESS	THICKNESS	DIMENSIONS	ITEM NUMBER	
Allegro brown	55° Shore A*	6 mm	1,260 mm x 980 mm	3 614540 0600 600	

* Production-related Shore hardness tolerance: +/-10%

PLATE MATERIALS

TECsoft (PE)

ITEM NUMBER
3 61440 1 0500 300

USES/INDICATIONS

- Cushioning and construction material for various types of foot orthosis
- For functional cushioning, relief and support
- For leisure and work

FEATURES

- Closed-cell soft foam (PE, 25° Shore A*)
- Available in various thicknesses

INFORMATION

MANUFACTURING/MODIFICATIONS

- Trimmable (sole leather shears/shears)
- Thermoplastic molding possible (100 °C hot air blower/oven)
- Attention: Material shrinkage possible!
- Easy to grind (grinding belt: grit 24–100, pumice stone, blade disk)
- Easy to bond (first roughen extensively, standard workshop adhesives)

STORAGE

- Store hanging or lying
- Store at 10–25 °C
- Store in a dry place, do not expose to direct heat (heating, direct sunlight)

DESCRIPTION	SHORE HARDNESS	THICKNESS	DIMENSIONS	ITEM NUMBER	
TECsoft gray	25° Shore A*	3 mm	1,200 x 1,000 mm	3 61440 1 0300 300	
TECsoft gray	25° Shore A*	5 mm	1,200 x 1,000 mm	3 61440 1 0500 300	

* Production-related Shore hardness tolerance: +/-10%

PLATE MATERIALS

TECtop (PE)

ITEM NUMBER
3 61453 0 0400 800



ITEM NUMBER
3 61453 0 0400 600

USES/INDICATIONS

- Cushioning and construction material for various types of foot orthosis
- For functional cushioning and support
- For sport, leisure and work

FEATURES

- Closed-cell soft foam (EVA/PE, 30° Shore A*)
- Available in various thicknesses

INFORMATION

MANUFACTURING/MODIFICATIONS
- Trimmable (sole leather shears/shears)
- Thermoplastic molding possible (100–120 °C hot air blower/oven)
- Attention: Material shrinkage possible!
- Easy to grind (grinding belt: grit 24–100, pumice stone, blade disk)
- Easy to bond (first roughen extensively, standard workshop adhesives)

STORAGE
- Store hanging or lying
- Store at 10–25 °C
- Store in a dry place, do not expose to direct heat (heating, direct sunlight)

* Production-related Shore hardness tolerance: +/-10%

TECtop (PE)

DESCRIPTION	SHORE HARDNESS	THICKNESS	DIMENSIONS	ITEM NUMBER	
TECtop silver-gray, perforated	30° Shore A*	3 mm	1,100 x 1,100 mm	3 61453 0 0300 400	
TECtop red, perforated	30° Shore A*	4 mm	1,100 x 1,100 mm	3 61453 0 0400 800	
TECtop earth brown, perforated	30° Shore A*	4 mm	1,100 x 1,100 mm	3 61453 0 0400 600	
TECtop sapphire blue, perforated	30° Shore A*	2 mm	1,100 x 1,100 mm	3 61453 0 0200 700	
TECtop sapphire blue, perforated	30° Shore A*	4 mm	1,100 x 1,100 mm	3 61453 0 0400 700	

* Production-related Shore hardness tolerance: +/-10%

PLATE MATERIALS

PORON/GLOBOFIT (PU)

ITEM NUMBER
3 61445 0 0300 100

ITEM NUMBER
3 61443 0 2300 700

USES/INDICATIONS

- Cushioning material for various types of foot orthosis
- For functional cushioning and relief
- For sport, leisure and work

FEATURES

- Open-cell soft foam (PU)
- Breathable
- Microcellular structure
- Fungus-resistant
- Available in various thicknesses
- Biocompatible according to DIN EN ISO 10993-1

INFORMATION

MANUFACTURING/MODIFICATIONS

- Easy to cut with shears
- Easy to grind (grinding belt: grit 24–100, pumice stone, blade disk)
- Easy to bond (first roughen extensively, standard workshop adhesives)

STORAGE

- Store hanging or lying
- Store at 10–25 °C
- Store in a dry place, do not expose to direct heat (heating, direct sunlight)

PORON

DESCRIPTION	THICKNESS	DIMENSIONS	ITEM NUMBER	
Poron 2001 salmon pink, roughened on one side, very soft	3 mm	1,370 x 1,000 mm	3 61445 0 0300 100	

GLOBOFIT

DESCRIPTION	SHORE HARDNESS	THICKNESS	DIMENSIONS	ITEM NUMBER	
Globofit beige, roughened on both sides	Approx. 12° Shore A*	3 mm	1,370 x 1,000 mm	3 61443 0 2300 500	
Globofit light blue, roughened on both sides	Approx. 12° Shore A*	3 mm	1,370 x 1,000 mm	3 61443 0 2300 700	
Globofit light blue, roughened on both sides	Approx. 12° Shore A*	6 mm	1,370 x 1,000 mm	3 61443 0 2600 700	

* Production-related Shore hardness tolerance: +/-10%

PLATE MATERIALS

TECesd (EVA/PE)

ITEM NUMBER
3 61106 0 0600 300

USES/INDICATIONS

- Construction material for various types of foot orthosis
- For functional support
- For sport, leisure and work

FEATURES

- Closed-cell soft foam (EVA/PE, 40° Shore A*)
- Available in various thicknesses
- High conductivity

INFORMATION

MANUFACTURING/MODIFICATIONS
- Trimmable (sole leather shears/shears/saw)
- Thermoplastic molding possible (100–120 °C hot air blower/oven)
- Attention: Material shrinkage possible!
- Easy to grind (grinding belt: grit 24–100, pumice stone, blade disk)
- Easy to bond (first roughen extensively, standard workshop adhesives)

STORAGE
- Store hanging or lying
- Store at 10–25 °C
- Store in a dry place, do not expose to direct heat (heating, direct sunlight)

* Production-related Shore hardness tolerance: +/-10%

TECesd (EVA/PE)

DESCRIPTION	SHORE HARDNESS	THICKNESS	DIMENSIONS	ITEM NUMBER	
TECesd black	40° Shore A	6 mm	1,050 x 1,050 mm	3 61106 0 0600 300	
TECesd black	40° Shore A	10 mm	1,050 x 1,050 mm	3 61106 0 1000 300	

Bauerfeind AG Terms and Conditions of Sale and Delivery (GTC)

Prices
The prices quoted are net prices in euros ex works and do not include statutory VAT.

Shipping
Shipping is at the expense and risk of the purchaser, even if the purchaser does not bear the costs of transportation. Disruptions of operations affecting us or any of our suppliers, lack of suitable personnel, strike, lockout and force majeure are causes for extending delivery and relieve us of any delivery obligation for the duration of the obstruction.

Shipping costs
We calculate our shipping charges as a flat rate of €7 for a net total order value of up to €50, and €4 for a net total order value of up to €200. No shipping charges are payable for custom-made solutions. Special shipping requirements will be charged at cost.

Returns
Returns are only accepted outside the warranty terms if we have been notified in advance and approved the return (notification) with inclusion of the shipping documents and under the assumption that the returned goods are in faultless condition. We reserve the general right to refuse returns of this kind.
Except where covered by warranty, we charge for processing returns. For returns within one month of the date of delivery, this charge is €10 for each return consignment. For goods returned 1 month or more after the date of delivery, a handling fee of 20% of the net order value, or a maximum of €25 per product and unit is charged; for returns 6 to 12 months after delivery date, the fee is 40% of the net order value, or a maximum fee of €50 for each product and unit.
Except where covered by warranty, no returns, including without limitation for custom orders, will be accepted after 12 months following the date of delivery.

Payments
Payments are due immediately following delivery. We offer a 4% discount for payments made by direct debit and a 3% discount for payments made within 10 days of the invoice date. Otherwise payment is 30 days net. The buyer shall be considered in arrears once the 30 days from the invoice date have passed. From this point on, any further deliveries will only be made against advance payment.
From the date that the customer is in arrears, we will charge default interest of 8% above the applicable base interest rate. Payments by check, draft, etc. are deemed to be made only when the amount has been credited fully and irrevocably to our account.

Retention of ownership
We retain the ownership to all of the delivered goods until the purchaser has settled all of the outstanding accounts due to us as a result of the business relationship. The retention of ownership shall also apply pro rata to goods which have been processed or otherwise modified. If the goods are resold, all third party claims arising therefrom up to the total amount owed us shall be assigned to us without proviso. Notwithstanding the assignment, the buyer is entitled to the collection of these amounts. Our right to collect the amounts is not affected by the preceding provision; however, we undertake to refrain from collection unless the buyer defaults on payment. If the buyer defaults on payment, we can demand that the buyer disclose the assigned claims and the names of the debtors, provide all information required for collection of the debt, deliver all required documents and inform the debtors (third parties) of the assignment. The buyer shall not be entitled to pledge or assign the goods as security. Pledges, confiscation or any other dispositions taken by a third party shall be promptly communicated to us by the buyer and all information and documents necessary for us to defend our rights shall be provided. We undertake to release the security due to us at the seller's request to the extent that its value does not exceed that of the claim to be secured by more than 20% and provided the claim in question has not yet been settled.

Complaints
Warranty claims due to obvious defects expire unless notified to us in writing without delay under the terms of Sec. 377 German Commercial Code (HGB). In all other cases, the warranty period for warranty claims is 1 year after delivery of the purchased goods. If the goods are defective, we may replace or repair the goods at our discretion. For reasons of hygiene, repairs can only be made to washed goods and goods which are in perfect sanitary condition. Upon receipt of unwashed goods, we reserve the right to claim a suitable sum for additional work. To the extent that we fulfil our duties of subsequent performance, including without limitation, the repair of defects or the delivery of goods without defect, the customer cannot demand a price reduction or rescind the contract unless our attempts at subsequent performance have failed. Defects which are due to normal wear and tear, overuse, misuse, neglect of care or non-compliance with the instructions for use are not covered by warranty.

Liability
Liability for damages is excluded unless there has been grossly negligent or willful misconduct on our part or on the part of our representatives or vicarious agents. This limitation of liability does not apply to damage due to injury of life, body or health or the violation of a material contractual duty.

Place of jurisdiction
The place of performance for the delivery is the registered office of our company. The legal venue for all disputes arising from the business relation is Gera, Germany.

Severability clause
In the event that any individual provision of these terms and conditions of sale and delivery is or becomes invalid, the validity of the remaining provisions shall remain unaffected. The invalid provision shall be replaced with a valid provision which reflects the original economic intention of the parties as closely as possible.

Data protection clause/conversation recording
For quality purposes, we randomly record calls between the buyer and our employees. The phone recordings solely serve the purpose of improving our service and are deleted after evaluation. The data will not be disclosed to third parties. The buyer hereby consents to the recording of telephone calls for that sole purpose. Consent is voluntary and may be revoked with future effect at any time by the buyer.

Version: February 2016

Prices correct at the time of going to print. We accept no liability for printing errors or mistakes.

BAUERFEIND®

If you have any questions,
ideas or requests, please contact us:

BAUERFEIND AG
Triebeser Straße 16
07937 Zeulenroda-Triebes
Germany
P +49 (0) 36628 66-10 00
F +49 (0) 36628 66-19 99
E info@bauerfeind.com

BAUERFEIND UK
Regents Place
Euston Road 338
LONDON
NW1 3BT
P +44 (0) 121 446-5353
F +44 (0) 121 446-5454
E info@bauerfeind.co.uk

BAUERFEIND USA, INC.
1230 Peachtree St NE
Suite 1000
ATLANTA, GA 30309
P +1 800 423-3405
P +1 404 201-7800
F +1 404 201-7839
E info@bauerfeindusa.com

Rev. 0 – 2017-01_000 0000 0000 000

BAUERFEIND.COM